Index

Nuclear Safety

Volumes 1-3

Included in this issue is a cumulative index for Volumes 1 to 3 of *Nuclear Safety*. Future indexes for this quarterly will be prepared annually and will appear in the final (Number 4) issue. In this index the bold numbers denote volumes, the numbers in parentheses denote issues, and the other numbers denote pages.

A

Accelerators, radiation sources, **3** (2): 11–12
Accidents
  See Incidents
Accumulators, design, **2** (1): 48
Adsorbers
  See also Air, Filters, Fission products, and Scrubbers
  gaseous-waste decontamination, **2** (4): 39–40
  refrigerated, **1** (4): 49–50
Advisory Committee on Reactor Safeguards, operations, **1** (2): 9
  population radiation exposure recommendations, **1** (2): 3–5
  proceedings summary, **1** (2): 63
  reactor safety evaluation, **1** (4): 3–4
Aerosols, properties in ventilation streams, **3** (1): 60
Air
  See also Adsorbers, Atmosphere, Clouds, Fallout, Filters, Fission products, Gases, and Stratosphere
  alpha monitoring, **3** (1): 66–7
  Be monitoring, **3** (2): 52
  compressor explosions, **2** (1): 44–9
  contamination, **2** (2): 25–6, 37–8, 51
  decontamination, **1** (3): 43, 46; **3** (3): 41–4
  radiation monitoring, **3** (2): 66
  reaction with graphite, **2** (2): 16
  separation plant safety, **1** (4): 24
Alarms, gamma, **2** (3): 49
Aldermaston, waste disposal, **1** (4): 73
Algae, radioisotope accumulation, **1** (3): 64; **2** (2): 66–7
Alloys
  See also specific alloys
  reactions with O_2, **2** (2): 18–19
Alpha radiation
  See Radiation (alpha)
Aluminum, reaction, with graphite, **2** (2): 16
  with O_2, **2** (2): 18
  with water, **3** (4): 37, 39
Aluminum-28, production in underground nuclear explosions, **1** (2): 50
Aluminum alloys, reactions with water, **3** (4): 37
Aluminum-beryllium-magnesium alloys, reactions with CO_2 and graphite, **2** (2): 16
Aluminum oxide, I radioisotope sorption, **2** (3): 35
American Institute of Electrical Engineers, Nucleonics Committee, **3** (4): 7, 11
American Meteorological Society, Committee on Air Pollution, **1** (3): 15; **3** (4): 3, 9
American Nuclear Society, projects, **1** (3): 16
  Standards Committee, **1** (2): 2–3; **1** (3): 15–16; **3** (4): 3–4, 9–10
American Society of Civil Engineers, **1** (3): 16–17; **3** (4): 4, 10
American Society of Mechanical Engineers, Committee on Reactor Safety Standards, **1** (3): 17; **3** (4): 4–5, 10
American Society for Testing Materials, **1** (3): 17; **3** (4): 5, 10
American Standards Association, nuclear safety standards development, **1** (3): 13–15, 19–20; **3** (4): 1–3, 7–9
  reactor siting, **1** (2): 2
Americium-241, in vivo radioactivity measurement, **3** (4): 85
Amersham, waste disposal into fresh water, **1** (4): 73
Amsco, Kr and Xe recovery, **1** (4): 50–1
Analog computer, reactor accident simulator studies, **1** (1): 10–11
Animas River, radiation survey, **3** (3): 61
Antimony-124–beryllium radiation sources, properties, **2** (3): 39
Argonne National Laboratory, environs monitoring, **1** (4): 71–2
  incidents, **2** (1): 73; **3** (2): 35
  reactor parameter determination, **2** (1): 19
Atmosphere
  See also Air, Clouds, Fission products, and Stratosphere
  dispersion, **1** (2): 1; **1** (3): 56–62; **1** (4): 79; **2** (1): 91–4; **2** (2): 56–9; **2** (4): 47–51
  monitoring, **1** (2): 52–3; **3** (1): 68–70; **3** (3): 42
  stability, **3** (4): 16
Atomic Energy Commission contractors and licensees, insurance, **3** (1): 7–12
Atomic Energy Research Establishment, reactor fuel storage, **3** (4): 66
Atomic Industrial Forum, **1** (2): 8–9; **1** (3): 17; **3** (4): 5, 10
Automobile travel, safety index, **1** (1): 1

B

Ballistic Research Laboratories, reactor containment-vessel blast effects, **3** (2): 49–50
Barium, release, **3** (4): 15
  removal from gas-cooled-reactor coolants, **2** (2): 42
Barium-137–cesium-137 radiation sources, heating, **2** (3): 39
Belgium, public radiation protection, **2** (2): 2
  reactor site selection, **2** (2): 3
  waste disposal, **2** (2): 60, 62
Beryllium, handling, **1** (4): 57–8
  hazards, **1** (4): 57–8; **2** (2): 42–5; **3** (2): 51–4
  maximum permissible levels, **1** (4): 57
  monitoring, **3** (2): 52
  reaction, with graphite, **2** (2): 17
  with water, **3** (4): 37
Beryllium alloys, reactions with water, **3** (4): 37
Beryllium bifluoride–lithium fluoride–uranium tetrafluoride system, phase diagram, **2** (2): 13
Beryllium compounds, handling and toxicity, **1** (4): 57–8
Beryllium oxide, corrosion by water vapor, **1** (4): 23
  reaction with graphite, **2** (2): 17
Beryllium-polonium neutron sources, suppliers, **2** (3): 40
Beta radiation
  See Radiation (beta)
Bibliographies, **1** (1): 48; **1** (2): 13, 66; **3** (4): 106–7
Biosphere, contamination, **3** (3): 51–4
Biota
  See also Plants and specific animals
  fallout dispersal and uptake, **1** (3): 62–5; **2** (2): 66–7
  radiation monitoring, **3** (1): 71–2
Biphenyl mixtures, melting points and vapor composition, **2** (2): 12
  reactions with reactor coolants, **1** (4): 23
Bismuth, I radioisotope sorption, **2** (3): 35
Bismuth oxide, I radioisotope sorption, **2** (3): 35
Blast theory, **3** (2): 50–1
Blood, Na^{24} determination, **2** (3): 49

Body burden, Cs^{137}, 3(2): 65–6
K^{40}, 3(2): 65
Ra^{226}, 3(2): 65
Sr^{90}, 2(3): 45–6; 3(2): 65–6
Bone, radiation protection guides, 3(3): 1–4
Sr^{90} uptake by human, 2(3): 45–7
Boris Kidrich Institute of Nuclear Science, critical-assembly accident, 1(1): 38–40
Boron compounds, reactions with graphite, 2(2): 17
British Medical Research Council, public radiation exposure recommendations, 1(2): 4
reactor site selection, 2(2): 4–5
Bromine, removal, from gas-cooled-reactor coolants, 2(2): 41–2
from LMFR fuel, 2(2): 40
Bromine trifluoride, U fluorination with, 2(2): 14–15
Brookhaven National Laboratory, atmospheric monitoring, 3(3): 42
hot-laboratory explosion, 2(1): 51–3
U fluorination with BrF_3, 2(2): 14–15

C

Cadmium, effects on graphite moderating properties, 2(2): 17
Calcium, effect on plant uptake of Ca^{45}, Sr^{85}, and Sr^{90} from soil, 1(3): 64
Calcium-45, Ca effects on plant uptake from soil, 1(3): 64
production in underground nuclear explosions, 1(2): 50
California, nuclear material licensing and regulation, 3(4): 99
Canada, reactor siting, 3(4): 14
Cancer, radiation induction, 2(3): 2–3, 46–8
Carbon dioxide, reaction, with graphite, 1(3): 27–8; 2(2): 15–16
with Magnox alloys, 2(2): 16
Carbon tetrachloride, Kr fractional extraction, 1(4): 51
Casks, spent reactor-fuel-element shipment, 2(1): 6–7
Cataracts, radiation induction, 2(3): 3–4
Caverns, leak testing, 3(3): 39–40
Cerium-137, radiation sources, 3(2): 10
Cerium-144–praseodymium-144, radiation heating, 2(3): 39
radiation incident at ORNL, 2(2): 73–5
Cerium oxide radiation sources, fabrication, 2(3): 39–40
Cerium radioisotopes, biological uptake, 1(3): 63; 2(2): 66–7
distribution in rats, 3(2): 66
release, 1(3): 77; 1(4): 79, 85; 3(4): 15
removal from gas-cooled-reactor coolants, 2(2): 42
source properties, 2(3): 39
surface deposition of airborne, 3(4): 79
Cesium-137, analysis in biosphere, 3(3): 53
body burden, 3(2): 65–6
plant uptake, 1(3): 63–4; 2(2): 66
production in underground nuclear explosions, 1(2): 49
radiation sources, 2(3): 39–40
release, 3(4): 15
sorption by soil, 1(3): 65–7
surface deposition of airborne, 3(4): 79–80
in vivo radioactivity measurement, 3(4): 83–5
Cesium hydride, compatibility with graphite, 2(2): 17
Cesium radioisotopes, release, 1(4): 79; 2(2): 21–2
removal from gas-cooled-reactor coolants, 2(2): 41–2
Chalk River, criticality accident, 3(2): 35
waste disposal, 1(4): 73; 2(3): 51
Charcoal adsorbers, explosion, 1(4): 50
fires, 1(4): 48–9
gas decontamination, 1(4): 47–50, 52–3; 2(3): 36–8
Chemicals, genetic effects, 3(2): 56–8
Clays, fission-product sorption, 1(3): 64; 1(4): 66; 2(3): 33–4
Clinch River, radioactivity, 2(3): 51; 3(3): 61
Clouds
See also Air
spread, 2(4): 49–50
Cobalt-60, gamma-ray sources, 2(3): 39–40; 3(2): 9–10
production in underground nuclear explosions, 1(2): 50
in vivo radioactivity measurement, 3(4): 85
Columbia River, biological uptake of radioisotopes, 2(2): 67
contamination by reactors, 3(2): 61
ecological studies of radioisotopes, 1(4): 67
radiation monitoring, 1(4): 74–5
Compensation board, nuclear liability, 1(2): 9
Compressed air systems, explosions, 2(1): 44–9
Concrete, 1(2): 42–3; 2(2): 34–5; 2(3): 35
Contamination
See also Decontamination, Fission products, Reactors, and Waste disposal
air, 2(2): 25–6, 37–8, 51
biosphere, 3(3): 51–4
dietary, 1(2): 4
environmental, 3(1): 73–5; 3(2): 65–6; 3(3): 56–9
public relations following environmental, 3(1): 73–5
reactor fuel-storage canals, 3(4): 63
rivers by power reactors, 3(2): 60–5
underground, from nuclear explosions, 1(2): 49–52
Copper, I radioisotope sorption, 2(3): 35–8
Copper-zirconium alloys, oxidation, 1(4): 22
Criticality
See also Incidents
control, 1(1): 6–7; 1(2): 39; 3(1): 5–7; 3(2): 32–3, 38
data for ORGDP, 1(2): 6–7
experimentation, 3(2): 32–3
hazards, 1(3): 49; 2(2): 52; 3(3): 26–9
theory, 3(2): 32
Cryogenic apparatus, ozone explosions, 1(2): 19
Curium radioisotopes, spill, 1(4): 88–9
Czechoslovakia, reactor siting, 3(4): 14–15

D

Danish Atomic Energy Commission Research Establishment, environs monitoring, 1(4): 71–3
Decontamination
See also Contamination, Fission products, and Reactors
abrasive blasting, 1(2): 40
air, 1(3): 43, 46; 2(2): 25–6; 3(3): 41–4
criticality control, 1(2): 39
gases, 1(3): 40–6; 1(4): 13, 47–55; 2(2): 37–8, 41–2; 2(3): 35–8; 2(4): 39–41; 3(2): 47–8; 3(3): 41–4
hazards, 1(2): 39–41; 2(2): 48–52
paving, 2(2): 51–2
power-reactor loops, 1(2): 39
Pu, 1(3): 51; 2(2): 49–51
reactor cooling systems, 2(2): 39–42, 52
reagents, 1(2): 39
Redox multipurpose dissolver, 2(4): 53–4
solutions, 1(2): 40
television use, 2(2): 49
tritium, 1(2): 40–1
UO_2, 2(2): 52
water, 1(4): 11–13
Dosimetry
See Radiation
Dry boxes, Pu handling, 2(1): 53
Dye-penetrant testing, reactor fuel elements, 1(4): 42

E

Earthquakes, ground motion and intensity, 1(2): 32; 3(4): 59–60
Ecology, radioisotope studies in Columbia River, 1(4): 67
Eddy-current testing, reactor fuel elements, 1(4): 42–3
Electrical testing, reactor fuel elements, 1(4): 42
Electrode-potential testing, reactor fuel elements, 1(4): 43
Electronic Industries Association, committees, 1(3): 18; 3(4): 6, 11
Elements (stable), analysis in biosphere, 3(3): 54
Elements (trace), analysis in marine organisms, 1(3): 63–4
Erosion, effects on Sr^{90} movement in soil, 2(2): 64–5
Europe
See also specific countries
transport of nuclear materials, 2(2): 5
European Atomic Energy Community (Euratom), installation standards, 2(2): 1–2
European Company for the Chemical Processing of Irradiated Fuels (Eurochemic), reactor fuel storage, 2(2): 8–9; 3(4): 66
Explosions
See also Fires and Incidents
air-oil, in compressors, 2(1): 44–9
effects, 3(1): 59
glove boxes, 3(3): 46
hot cells, 3(3): 46–7
hot laboratory, 2(1): 51–3
nuclear, environmental effects, 2(2): 50–1
underground contamination, 1(2): 49–52
ORNL, 1(3): 77–80
ozone, 1(2): 19
refrigerated charcoal adsorber, 1(4): 50
Eyes, radiation-induced cataracts, 2(3): 3–4

F

Fallout
See also Air, Fission products, and Radioisotopes
biological dispersal and uptake, 1(3): 62–5; 2(2): 66–7
equations, 3(1): 58
ORNL, 1(3): 62–3
sorption by clay minerals, 1(3): 64
Sr^{90} content, 2(3): 46–7
Federal Radiation Council, establishment, 1(3): 13
purposes, 2(1): 16
radiation protection, 2(2): 6–7; 3(3): 1–4
Filters
See also Adsorbers, Air, Fission products, and Scrubbers
air and gas, 3(3): 41–3
inspection, 2(2): 37–8
I radioisotopes, 1(4): 55
radiochemical plants, 3(1): 54
reactor particulates, 1(4): 55
testing, 2(2): 37–8
Fires
See also Explosions and Incidents
charcoal adsorbers, 1(4): 48–9
glove boxes, 3(3): 46
hot cells, 3(3): 46–7
laboratories, 3(1): 2

Fires (Continued)
oil, in compressed air systems, 2(1): 44–9
Pu. 1(3): 49–50
Fish, radioisotope uptake, 2(2): 67
Fissile materials
See Materials
Fission products
See also Adsorbers, Air, Atmosphere, Contamination, Decontamination, Fallout, Filters, Gases, Particulates, Radiation, Radioisotopes, Reactors, Scrubbers, Waste disposal, and Water
absorption, by clays and rocks, 1(3): 64; 1(4): 66; 2(3): 33–4
by solvents, 1(4): 50–1
adsorption by charcoal, 1(4): 48, 50, 52
analysis in biosphere, 3(3): 53
atmospheric dispersion, 1(2): 1; 1(3): 56–62; 2(1): 91–4; 2(2): 56–9; 3(4): 16
containment, in hot cells, 2(3): 42; 3(3): 48
in hot laboratories, 2(3): 42
in processing plants, 3(1): 51–61
decay rate, 1(3): 34
deposition, 3(1): 58; 3(2): 46–9
dietary contamination, 1(2): 4
diffusion in UO_2, 1(2): 15; 1(3): 29–30
leak detection, 3(3): 36–40
level in PWR coolant, 2(1): 103–4
maximum downwind dose, 3(1): 57–8
monitoring, 2(2): 26–7; 3(1): 68–70; 3(3): 42
release, in explosions, 3(1): 59
from graphite-U reactor fuels, 1(3): 28–31
at ORNL, 1(4): 52, 83–8; 2(1): 53–5; 2(3): 40–3; 3(1): 59
from reactors, 1(1): 32–3; 1(2): 1, 14–15, 57–9, 66; 1(3): 31, 41, 49, 71–3; 1(4): 10, 18–20, 23, 52, 77–80; 2(1): 89–91; 2(2): 20–2, 70–3; 3(4): 56–7, 64
from space system, 3(2): 4–6
from U, 2(2): 21–2
from UO_2, 2(2): 20–1; 3(2): 15–20; 3(4): 16, 109
removal
See Decontamination
research and development, 1(2): 2
Fluoride-Volatility Pilot Plant, leak detection and testing, 3(3): 36–7
Fontenay-aux-Roses, waste disposal, 1(4): 73
France, population radiation protection, 2(2): 2
reactor siting, 3(4): 14

G

Gamma radiation
See Radiation (gamma)
Gases
See also Air, Fission products, Noble gases, Rare gases, Reactors, and Waste disposal
decontamination, 1(3): 40–6; 1(4): 13, 47–55; 2(2): 37–8, 41–2; 2(3): 35–8; 2(4): 39–41; 3(2): 47–8; 3(3): 41–4
leak detection, 3(3): 36–40
reactions with metals, 1(2): 1; 2(2): 17–19
storage at ICPP, 1(4): 52
Genetics effects, of chemicals, 3(2): 56–8
of radiation, 2(3): 4; 3(2): 56–60
Geology, relation to reactor hazards and siting, 1(1): 9; 1(4): 64–8
Germany, radiation protection, 2(2): 2
reactor siting, 3(4): 13
Glove boxes, 3(3): 44–6
Graphite, absorptive properties, 2(2): 15, 35
annealing, 1(2): 21–4; 2(3): 13–15
Cd effects on moderating properties, 2(2): 17
heat release hazards, 2(4): 12–13
oxidation rates, 1(3): 24–8
protective coatings, 2(2): 16–17
reactions, 1(3): 24–8; 2(2): 15–17; 2(4): 8–13
Wigner energy, 1(2): 20–4; 1(4): 90; 2(3): 13–15

H

Hands, radiation monitoring, 3(1): 67–8
Hanford Atomic Products Operation, environs monitoring, 1(4): 71
gaseous-waste decontamination, 2(4): 40
incidents, 2(4): 52–5; 3(1): 56; 3(2): 34; 3(4): 90
liquid-waste monitoring, 1(4): 60
radiochemical plant containment, 3(1): 51–6
reactor fuel-element processing, 2(2): 45–8
reactor in-core neutron-flux monitoring, 3(2): 41
waste disposal, 1(4): 70, 73
Harvard Law School, international nuclear liability studies, 1(2): 8–9
Harwell, England, gaseous-waste decontamination, 2(4): 40
waste disposal, 1(4): 73; 2(2): 59–60, 62
Hazards, Be, 1(4): 57–8; 2(2): 42–5; 3(2): 51–4
decontamination procedures, 2(2): 48–52
nuclear energy operations, 2(4): 55–63
radiation, 2(1): 83–96; 2(2): 48–52; 2(4): 45–7, 55–63
reactor graphite heat release, 2(4): 12–13
waste treatment, 2(4): 45–7
Health physics, 3(1): 68, 75–7; 3(3): 7–8
Heavy water, contamination, 1(4): 75, 77
leak detection, 3(3): 37–8
Helium, compatibility with graphite, 2(2): 15
decontamination, 1(4): 49–50
Hot cells, containment, 2(3): 42; 3(3): 48
design, 3(3): 46–8
incidents, 3(3): 46–7
waste disposal, 3(3): 47–8
Human beings, Be hazards, 1(4): 57–8; 2(2): 42–5; 3(2): 51–4
blood analysis for Na^{24}, 2(3): 49
evacuation from plants, 3(3): 26–7
insurance, 1(3): 3–5
radiation exposure, 1(2): 62; 1(3): 76–7; 2(1): 83–96; 2(3): 1–4; 3(1): 82, 90; 3(4): 90–1
cancer induction, 2(3): 2–3, 46–8
cataract induction, 2(3): 3–4
dose limits, 1(2): 3–5; 2(2): 4
genetic effects, 2(3): 4; 3(2): 56–8
hazards, 2(2): 48–51; 3(1): 56–61
injury, 1(2): 12
monitoring, 1(3): 38; 2(3): 48–9; 3(1): 65–8; 3(4): 80–6
protection, 1(2): 3; 1(3): 7–9; 2(1): 14–17; 2(2): 1–2, 6–7; 2(3): 7–8; 3(1): 51–6, 75–7; 3(3): 1–4, 8, 81; 3(4): 6–7, 11, 21–6, 96–7
somatic effects, 2(3): 2–4
syndrome, 3(4): 69–76
in vivo measurement, 3(4): 80–6
radioisotope accumulation, 2(1): 83
Ra^{226} uptake, 2(3): 45–6; 3(2): 65; 3(3): 1–4
rescue, 3(1): 3–4
Sr^{89} uptake, 2(3): 45; 3(3): 1–4
Sr^{90} uptake, 2(3): 45–8; 3(2): 65–6
Hydraulic accumulators, design, 2(1): 48
Hydrogen, reaction with Zr, 2(2): 16
Hydrogen (liquid), plant safety, 1(4): 24
Hydrology
See also Water
relation to reactor hazards and siting, 1(1): 9; 1(4): 64–8

I

Idaho Chemical Processing Plant, criticality accidents, 1(3): 75–7; 3(2): 34, 71–3; 3(3): 26
fission-gas storage, 1(4): 52
gaseous-waste decontamination, 2(4): 40
noble-gas adsorption, 1(4): 49
nuclear incident radiochemical analysis, 2(4): 41–2
personnel radiation exposure, 1(3): 76–7
RuO_4 removal from gases, 1(3): 45
waste disposal, 1(4): 70; 2(2): 61–3
Illinois, environmental radiation surveys, 3(3): 60
Incidents
See also Criticality, Explosions, Fires, Radiation, and Reactors
Boris Kidrich Institute, 1(1): 38–40
Ce^{144}-Pr^{144}, 2(2): 73–5
costs, 1(1): 1
criticality, 3(1): 59; 3(2): 34–8
dosimetry, 2(1): 71–8; 2(3): 48–50; 3(1): 67
emergency plans, 2(1): 7–9
ETR, 3(3): 74–81
fire protection, 3(1): 1–4
gamma-ray spectrometry, 2(4): 43
HAPO, 2(4): 52–5; 3(1): 56; 3(2): 34; 3(4): 90
hot cells, 3(3): 46–7
ICPP, 1(3): 75–7; 2(4): 41–2; 3(2): 34, 71–3; 3(3): 26
insurance, 3(1): 7–12
LASL, 1(1): 37–8; 1(3): 49; 2(1): 72–3, 75; 3(2): 34–5; 3(3): 26
Lawrence Radiation Laboratory, 3(4): 90
Mound Laboratory, 3(4): 90
MTR, 3(3): 74–81
National Lead Co., 3(4): 90
Nevada Test Site, 3(4): 90
nuclear energy operations, 2(4): 41–3, 55–63
nuclear weapons, 2(2): 51
ORNL, 2(1): 53–5; 2(2): 73–5; 2(3): 40; 2(4): 42; 3(1): 59, 67; 3(2): 34
personnel rescue, 3(1): 3–4
prevention, 1(1): 1
public records, 3(3): 81
Purex plant, 3(1): 56
radiation sources, 3(2): 13
reactor fuel-element failure, 2(2): 70–3
Redox dissolver, 2(4): 52–5; 3(1): 56
reports to AEC, 2(1): 9–10
Sandia Corporation, 3(4): 90
SL-1, 2(3): 54; 2(4): 42; 3(1): 73–5; 3(2): 1, 37; 3(3): 42, 64–74; 3(4): 57
VBWR, 3(1): 85–7
water usage, 3(1): 2–3
Indemnification, by nuclear energy industry, 1(2): 8–13
Insects, radioisotope dispersal, 1(3): 64–5; 1(4): 73
Institute of Radio Engineers, 1(3): 17–18; 3(4): 5, 10
Insurance, 1(3): 1–7; 1(4): 13–16; 2(4): 64; 3(1): 7–12, 91–2; 3(3): 82
International Air Transport Association, transport of nuclear materials, 2(2): 5
International Atomic Energy Agency, activities, 3(3): 6–9
nuclear hazard liability, 1(4): 4–5
reactor safety evaluation, 2(2): 2–3

International Atomic Energy Agency (Continued)
reactor siting, 3(4): 12–17
transport of nuclear materials, 2(2): 5
International Commission on Radiological Protection, 1(2): 3; 1(3): 7–9; 2(1): 14–17; 3(3): 2–3; 3(4): 6–7, 11
International Electrotechnical Commission, 1(3): 13
International Organization for Standardization, 1(3): 13; 3(4): 12–17
Iodine-131, analysis in biosphere, 3(3): 53
foliage adsorption of, 1(3): 62
human intake guides, 3(3): 1–4
release from reactor fuels, 1(3): 41; 3(4): 15–16
surface deposition of airborne, 3(4): 77–80
Iodine radioisotopes, adsorption in PLUTO, 2(3): 37–8
adsorption by solids, 2(3): 33–6
charcoal adsorption, containment, and processing in ORR, 1(4): 52–6
cloud dosages, 3(4): 16
filtering, 1(4): 55
monitoring, 2(2): 26
release, at NRTS, 1(4): 78–9
from ORR, 1(4): 52
from U, 2(2): 22
from UO_2, 2(2): 21
removal, from gases, 1(3): 41–5; 1(4): 54; 2(3): 35–8; 2(4): 39–40; 3(2): 47–8
from reactor coolants, 2(2): 41–2
from reactor fuels, 2(2): 40–1
travel in ground water, 1(4): 66
Iowa State University, research and training reactor licensing, 1(3): 85
Iridium-192 radiation sources, fabrication and properties, 2(3): 39–40
Irish Sea, waste disposal, 2(3): 52
Iron-55 radiation sources, fabrication and properties, 2(3): 39–40
Iron-59, production in underground nuclear explosions, 1(2): 50
Italy, radiation protection, 2(2): 2
reactor site selection, 2(2): 5

J

Japan, reactor siting, 3(4): 13–14
Joint Committee on Atomic Energy, hearings, 2(3): 7–8; 3(2): 6; 3(3): 9–13

K

Kentucky, nuclear material licensing and regulation, 3(3): 4–6, 82–3; 3(4): 99
Krypton radioisotopes, adsorption by charcoal, 1(4): 50, 52–3
containment and processing in ORR, 1(4): 53–6
diffusion rate from UO_2, 1(2): 15
holdup in reactors, 1(4): 54
recovery by solution in liquids, 1(4): 50–1
release, 1(4): 52; 3(2): 19; 3(4): 15
removal, from gases, 1(4): 47–50
from reactor coolants, 2(2): 41–2
from reactor fuels, 2(2): 39–40

L

Laboratories, design and operation, 2(1): 51–5
explosion at BNL, 2(2): 51–3
fire protection, 3(1): 2
fission-product containment, 2(3): 42
Law, nuclear power problems, 1(2): 7–8
Lawrence Radiation Laboratory, incidents, 1(4): 88–9; 3(4): 90
Lead, radioiodine sorption, 2(3): 35
Lead oxide, radioiodine sorption, 2(3): 35
Leak detection, heavy water, 3(3): 37–8
molten metals, 3(3): 37
radioactive gases, 3(3): 36–40
reactor fuel elements, 1(3): 33–5; 1(4): 43; 2(3): 27
Le Bouchet, waste disposal into fresh water, 1(4): 73
Leukemia, Sr^{90}-induced, 2(3): 47–8
Liability, nuclear industry, 1(2): 8–13; 1(3): 5; 1(4): 4–8
Licensing
See Materials, Nuclear industry, and Reactors
Life span, radiation effects, 2(3): 3
Los Alamos Scientific Laboratory, incidents, 1(1): 37–8; 1(3): 49; 2(1): 72–3, 75; 3(2): 34–5; 3(3): 26
waste disposal, 1(4): 70; 2(2): 61–2
Luxembourg, public radiation protection, 2(2): 2

M

Magnesium, radioiodine sorption, 2(3): 35
reaction with water, 3(4): 37
Magnesium alloys, reactions with water, 3(4): 37
Magnesium hydride, compatibility with graphite, 2(2): 17
Magnesium oxide, radioiodine sorption, 2(3): 35
Magnetic field testing, reactor fuel elements, 1(4): 43
Magnox alloys
See Aluminum-beryllium-magnesium alloys
Manganese-56, production in underground nuclear explosions, 1(2): 50
Manhattan Engineer District, radiological safety policies, 3(3): 55–6
Marcoule, France, waste disposal, 1(4): 73; 2(2): 60, 62; 2(3): 50–1
Marine organisms, trace-element analysis, 1(3): 63–4
Materials, criticality, 1(3): 39; 3(1): 5–7
fire fighting, 3(1): 2–3
handling, 1(2): 5–7; 3(1): 4–7
licensing and regulation, 3(1): 91; 3(3): 4–6, 81–3; 3(4): 97
manufacture, 1(2): 6–7
storage, 2(2): 8–9, 45–6, 48; 3(2): 38
transport, 1(2): 5–6; 2(2): 5; 3(2): 38; 3(3): 8–9, 82
Maximum credible accidents
See Incidents, Radiation, and Reactors
Merchant Shipping (Dangerous Goods) Rules, 2(2): 5
Metal hydrides, reactions with graphite, 2(2): 17
Metals
See also specific metals
reactions with gases, 1(2): 1; 2(2): 17–19
Metals (alkali), oxidation, 1(4): 21
reactions with water, 3(4): 39
Metals (molten), disposal and handling, 1(4): 21
leak detection, 3(3): 37
reactions with water, 1(2): 1, 17; 1(4): 22–3; 3(4): 36–41
Meteorology, atmospheric dispersion, 2(1): 93–4; 2(4): 47–51
reactor hazards and siting, 1(1): 9; 1(2): 3; 1(4): 64
research, 1(2): 2
Mice, tissue activation by neutrons, 2(3): 49
Milk, monitoring, 3(2): 66
Minerals, Sr^{90} sorption, 2(2): 64
Molecular sieve, radioiodine sorption in steam-air mixtures, 2(3): 36–7
Molybdenum-uranium alloys, solid-phase reaction with stainless steel, 2(2): 11
Monitoring
See Beryllium, Neutrons, and Radiation
Mound Laboratory, incident, 3(4): 90
Mutagenesis
See Genetics
Mutual Atomic Energy Liability erwriters, 1(4): 15
Mutual Atomic Energy Reinsurance Pool, 1(3): 6
M. W. Kellogg plant, Houston, Texas, decladding incident, 3(1): 73–4

N

NaK
See Potassium-sodium alloy (molten)
Naphthalene mixtures, melting points and vapor composition, 2(2): 12
National Advisory Committee on Radiation, 1(3): 13
National Bureau of Standards, handbooks, 1(3): 18; 3(4): 5–6, 11
National Committee on Radiation Protection, recommendations, 1(2): 3; 1(3): 38; 2(1): 14–17; 3(3): 2–3
National Electric Manufacturers Association, 1(3): 18; 3(4): 5, 11
National Fire Protection Association, Committee on Atomic Energy, 3(4): 7, 11
National Lead Company, incident, 3(4): 90
National Reactor Testing Station, air-oil explosions in compressors, 2(1): 44–5
criticality accidents, 3(2): 35
fission-product release, 1(4): 77–80
SL-1 incident, 2(3): 54; 2(4): 42; 3(1): 73–5; 3(2): 1, 37; 3(3): 42, 64–74; 3(4): 57
Neptunium radioisotopes, in vivo radioactivity measurement, 3(4): 85
Netherlands, public radiation protection, 2(2): 2
Neutrons, activation in tissues, 2(3): 49
detector development, 2(3): 50
dosimetry, 3(1): 65
monitoring in reactors, 3(2): 41–2; 3(3): 29–32
sources, 2(3): 40
Nevada Test Site, incident, 3(4): 90
personnel radiation exposure, 3(1): 90
New York State, environmental radiation surveys, 3(3): 60–1
Nickel, reaction with water, 3(4): 37
Nickel-zirconium alloys, oxidation, 1(4): 22
Niobium, sorption by soil, 1(3): 67
Niobium hydride, compatibility with graphite, 2(2): 17
Niobium radioisotopes, release at NRTS, 1(4): 79
surface deposition of airborne, 3(4): 79
in vivo radioactivity measurement, 3(4): 85
Niobium-uranium alloys, reactions with water, 1(2): 18
removal from gases, 1(4): 47–53
Noise analysis, reactor parameter determination, 2(1): 19–24
Nondestructive testing, reactor fuel elements, 1(4): 41–3
Nuclear Energy Liability Insurance Association, 1(3): 6; 1(4): 15
Nuclear Energy Property Insurance Association, 1(3): 6
Nuclear energy sources, fission-product release from space systems, 3(2): 4–6
Nuclear industry
See also Processing plants and Reactors
criticality control, 3(2): 33
damage, 1(4): 5–8
hazards, 1(1): 1–4; 2(4): 55–63
incidents, 2(4): 41–3, 55–63; 3(4): 90–6

Nuclear industry (Continued)
insurance, 1 (3): 1–7; 1 (4): 13–16; 2 (4): 64; 3 (1): 7–12, 91–2; 3 (3): 82; 3 (4): 98
leak testing, 3 (3): 36
liability, 1 (2): 8–13; 1 (3): 5; 1 (4): 4–8
licensing and regulation, 1 (1): 43–7; 1 (2): 63–5; 1 (3): 80–6; 1 (4): 90–4; 2 (1): 107–15; 2 (2): 1–2, 81–9; 2 (3): 61–72; 2 (4): 63–71; 3 (1): 90–101; 3 (2): 76–83; 3 (3): 9–13, 81–9; 3 (4): 96–104
standards, 1 (1): 1; 1 (3): 9, 12–20; 2 (2): 1–2; 2 (3): 5–7; 3 (3): 55–6; 3 (4): 1–12
Nuclear materials
See Materials
Nuclear-powered space vehicles, hazards, 1 (4): 1–3
Nuclear ships
See also Reactors (N.S. *Savannah*)
bibliography, 1 (1): 48
codes, 1 (3): 10–13
collision, 1 (4): 8
fission-product scavenging from water, 1 (4): 11–13
liability, 1 (2): 12
repair hazards, 2 (2): 51
safety, 1 (4): 8–13; 2 (4): 3–6
Nuclear weapon accidents, radiological safety procedures, 2 (2): 51

O

Oak Ridge Gaseous Diffusion Plant, criticality data and nuclear safety, 1 (2): 6–7
Oak Ridge National Laboratory, fallout, 1 (3): 62–3
gaseous-waste decontamination, 2 (4): 41
incidents, 2 (1): 53–5; 2 (2): 73–5; 2 (3): 40; 2 (4): 42; 3 (1): 59, 67; 3 (2): 34
in-pile loop operations, 3 (1): 35
I^{131} removal from air, 1 (3): 43
leak testing of containment structures, 3 (3): 40
off-gases, 1 (4): 53; 2 (2): 47; 2 (3): 42
Pu decontamination, 2 (2): 49–51
radiation safety, 1 (4): 87–8; 2 (3): 40–3; 3 (4): 21–6
radiation sources, 2 (3): 38–40; 3 (2): 9
radioisotopes, containment, 2 (3): 41–2
movement in ground and surface water, 1 (4): 67
release, 1 (3): 77–80; 1 (4): 52, 83–8; 2 (1): 53–5; 2 (3): 40–3; 3 (1): 59
sales, 2 (3): 38
reactor fuel-element processing, 2 (2): 47
reactor safety, 3 (1): 34
refrigerated charcoal-adsorber explosion, 1 (4): 50
waste disposal, 1 (4): 59, 70, 73, 77, 83–8; 2 (2): 61, 63; 2 (3): 42–3, 51–2; 2 (4): 41
X-ray sources, 3 (2): 10
Oak Ridge National Laboratory Critical Experiments Laboratory, incidents, 3 (1): 59; 3 (4): 95–6
Oak Ridge National Laboratory Thorex Pilot Plant, explosion and Pu release, 1 (3): 77–80
Oceans, waste disposal in, 1 (4): 69–70; 2 (1): 78–81
Oil, fires in compressed air systems, 2 (1): 44–9
Oklahoma, University of, research and training reactor licensing, 1 (3): 85
Oocytes, radiation effects, 3 (2): 58–60
Organic compounds, reactor coolant and moderator usage hazards, 1 (2): 18–19; 1 (4): 23
Organization for European Economic Cooperation, liability limits, 1 (2): 9
public radiation protection, 2 (2): 2
Osteogenic sarcoma, Sr^{90}-induced, 2 (3): 46
Ottawa River, radioactivity, 2 (3): 51
Oxygen, contamination of molten-salt reactor fuels, 2 (2): 13
reaction with graphite, 1 (3): 24–5; 2 (4): 8–13
reactions with metals and alloys, 2 (2): 18–19
Oysters, radioisotope uptake, 2 (2): 67
Ozone, explosions, 1 (2): 19
reaction with graphite, 1 (3): 26

P

Pan American Standards Committee, 1 (3): 13
Particles
See Neutrons and Radiation
Particulates
See also Fission products
removal from gases, 1 (3): 45–6; 1 (4): 13, 55; 2 (2): 37–8, 41–2
Paving, decontamination, 2 (2): 51–2
Personnel
See Human beings
Phenanthrene mixtures, melting points and vapor composition, 2 (2): 12
Phosphorus-32, biological uptake, 2 (2): 66–7
Piping (pressure), code, 1 (3): 12
Plants, radioisotope uptake, 1 (3): 62–4; 2 (2): 66–7
Plutonium radioisotopes, binary alloy oxidation, 2 (2): 18
contamination control, 1 (3): 51–2
criticality hazards, 1 (1): 37–8; 1 (3): 49
decontamination, 1 (3): 51; 2 (2): 49–51
dose rates, 1 (3): 51
fires, 1 (3): 49–50
handling, 1 (3): 49–52; 2 (1): 53
internal dosimetry, 3 (1): 65; 3 (4): 85
low-level-waste disposal, 2 (2): 61–2
maximum permissible concentrations, 1 (3): 50–1
monitoring in air, 3 (1): 66–7
oxidation, 2 (2): 18
pyrophoricity, 1 (3): 49
radiation characteristics, 1 (3): 51
radiation shielding, 1 (3): 51
recovery-plant criticality incident, 1 (1): 37–8
release at ORNL, 1 (3): 77–80
shipping regulations, 1 (2): 5–6
sorption by soil, 1 (3): 65
Pneumatic temperature probes, gas-cooled reactors, 2 (1): 30–2
Polonium alpha sources, suppliers, 2 (3): 40
Polyethylene, sealing of concrete, 1 (2): 43
Polyphenyls, toxicology, 1 (4): 58
Potassium, absorption by graphite, 2 (2): 15
Potassium radioisotopes, body burden, 3 (2): 65
uptake by algae, 2 (2): 67
in vivo radioactivity measurement, 3 (4): 83–4
Potassium-sodium alloy, handling hazards, 1 (2): 45
reaction with water, 2 (2): 12
Power Reactor Development Company, Inc., AEC hearing, 1 (3): 82–3
Price-Anderson Act, 3 (1): 7–12
Processing plants
See also Idaho Chemical Processing Plant and Nuclear industry
air filtering, 3 (3): 43
containment, 3 (1): 51–9
criticality excursion detection, 3 (3): 26–9
decladding incident, 3 (1): 73–4
evacuation, 3 (3): 26–7
gas disposal, 1 (4): 23–4
hazards, 3 (1): 56–61
insurance, 3 (1): 92
Project Prairie Grass, 1 (3): 57–60
Promethium oxide radiation sources, fabrication, 2 (3): 39–40
Promethium-147 radiation sources, properties, 2 (3): 39
Protactinium-233, in vivo radioactivity measurement, 3 (4): 85
Public
See Human beings
Public Health Service, environmental radiological monitoring, 3 (2): 66; 3 (3): 61
Public relations, following environmental contamination, 3 (1): 73–5
Purex plant, containment, 3 (1): 51–6
incident, 3 (1): 56
Pyrophoricity, U and Zr, 2 (2): 17–19

R

Radiation
See also Criticality, Fission products, Human beings, Incidents, and Neutrons
biological effects, 2 (3): 2–4, 46–9; 3 (1): 12–15; 3 (2): 56–60
biosphere, 3 (3): 51–4
detectors, 3 (1): 70–1
dosimetry, 2 (1): 71–8; 2 (3): 48–50; 3 (1): 12, 65–7
exposure, criteria, 2 (3): 1–4
dose limits, 2 (2): 4
power-reactor hazards, 2 (1): 83–96
standards of ICRP, 1 (3): 7–9
hazards, 1 (4): 87–8; 2 (1): 83–96; 2 (2): 48–52; 2 (3): 40–3; 2 (4): 45–7, 53–63
interaction with matter, 3 (1): 12–13
levels, Clinch River, 2 (3): 51
NRTS, 1 (4): 79–80
Ottawa River, 2 (3): 51
PWR, 2 (1): 103–4
spent reactor-fuel-element shipments, 2 (1): 6
SRE, 2 (3): 58–60
VBWR, 3 (1): 81–2
monitoring, air, 3 (2): 66
alpha, 1 (4): 59–60; 3 (1): 66–8
atmosphere, 1 (2): 52–3; 3 (1): 68–70; 3 (3): 42
beta, 1 (4): 59
biota, 3 (1): 71–2
Clinch River, 2 (3): 51
Columbia River, 1 (4): 74–5
environmental, 1 (4): 71–3; 3 (2): 66; 3 (3): 55–61
gamma, 1 (4): 59
gaseous wastes, 2 (2): 25–7
instruments, 3 (1): 73
milk, 3 (2): 66
processing plants, 3 (3): 26–9
Pu, 3 (1): 66–7
remote telemetering, 1 (2): 53–4
sediments, 3 (1): 73
soils, 3 (1): 73
water, 1 (4): 58–61, 74; 3 (1): 72; 3 (2): 66
Pu characteristics, 1 (3): 51
shielding, 1 (3): 51
sources, 2 (3): 38–40; 2 (4): 63; 3 (2): 8–13
Radiation (alpha), emitter analysis in biosphere, 3 (3): 53–4
monitoring, 1 (4): 59–60; 3 (1): 66–8
sources, 3 (2): 12
Radiation (beta), monitoring, 1 (4): 59–60
Radiation (cosmic), hazards to space vehicle occupants, 1 (4): 3
Radiation (gamma), alarms, 2 (3): 49
dosimetry, 3 (1): 66
monitoring, 1 (4): 59
sources, 2 (3): 39–40; 3 (2): 9–10
spectrometry, 2 (4): 43
Radiation (X), sources, 3 (2): 10–11

Radiation Emergencies Steering Committee, Area Monitoring Subcommittee functions, **3**(3): 26–7

Radiobiology, **3**(1): 12–15

Radioisotopes
See also Air, Fallout, Filters, Fission products, Materials, Reactors, Waste disposal, and specific radioisotopes
applications, **2**(3): 38
biological uptake, **1**(3): 62–5; **2**(1): 81–3; **2**(2): 65–7
containment at HAPO, **3**(1): 51–6
dispersal by insects, **1**(3): 64–5; **1**(4): 73
ecological studies in Columbia River, **1**(4): 67
effects on materials, **2**(3): 38
fresh-water surveys, **1**(4): 74
handling, **3**(3): 7–8
movement in ground and surface water at ORNL, **1**(4): 67
release at ORNL, **1**(3): 77–80; **1**(4): 52, 83–8; **2**(1): 53–5; **2**(3): 40–3; **3**(1): 59
sales at ORNL, **2**(3): 38
salvage from radioactive waste, **1**(4): 69–70
surface deposition of airborne, **3**(4): 76–80

Radium radioisotopes, analysis in biosphere, **3**(3): 54
human uptake, **2**(3): 45–6; **3**(2): 65; **3**(3): 1–4
in vivo radioactivity measurement, **3**(4): 83–5

Radon, analysis in biosphere, **3**(3): 54

Rare-earth elements, removal from molten-salt reactor fuel, **2**(2): 39–40

Rare gases
See also Fission products and Gases
monitoring, **2**(2): 26–7

Rats, Ce and Ru distribution, **3**(2): 66

Reactors
See also Contamination, Critical assemblies, Fission products, Incidents, Systems for Nuclear Auxiliary Power (SNAP), Waste disposal, and specific reactors
afterheat, **3**(3): 23–4
air filtering, **3**(3): 43
aseismic design, **1**(2): 32–3; **1**(4): 64
autocorrelation, **2**(1): 19–24
building codes, **1**(2): 32–3
burnout, **2**(3): 10–13
coincident measuring channels, **1**(1): 20
containment, **1**(3): 46–9; **1**(4): 53–6; **3**(4): 52–8
bibliography, **1**(1): 48
blast effects, **1**(3): 51–3; **3**(2): 49–51
codes, **1**(1): 23; **1**(3): 10–13, 48
concrete, **1**(2): 42–3; **2**(2): 34–5
design of secondary, **1**(1): 22
elastic response, **1**(3): 53
evaluation, **1**(1): 26
experience in U. S., **1**(3): 48–9
fission-product release, **1**(3): 49; **2**(1): 89–91; **3**(4): 56–7
fragments, **1**(1): 28; **2**(2): 31–7
leak testing, **1**(1): 29–30; **3**(3): 38–40
mechanical loading, **1**(3): 47
pressure, **1**(1): 23, 25; **2**(1): 49–50, 56
research and development, **1**(2): 2
safety factor, **1**(3): 52
safety systems, **3**(1): 41–6
strain-energy absorption, **1**(3): 53
strength, **1**(2): 44
structural integrity, **1**(2): 2
types, **1**(1): 22
weld inspection, **1**(1): 29
control rods, drives, **2**(4): 17–37; **3**(1): 46–8; **3**(4): 46–50
effectiveness, **3**(2): 39–41
failure, **3**(1): 46–8
worth, **3**(3): 32–4
control systems, **1**(1): 19–21; **1**(2): 1; **1**(4): 43–5
coolants, contamination, **1**(4): 19–20; **3**(1): 61–3
decontamination, **2**(2): 39–42
leakage, **2**(3): 55–8
loss, **1**(4): 34–5; **3**(2): 49
organic compounds, **1**(2): 18–19; **1**(4): 23; **2**(2): 12, 77–8
properties, **2**(2): 12
radioactivity, **1**(4): 19; **2**(1): 103–4; **2**(2): 79–80; **2**(3): 59–60
reactions, **1**(4): 23; **2**(2): 12, 15–16
toxicology, **1**(4): 58
cooling systems, decontamination, **2**(2): 52
emergency, **1**(4): 31; **3**(3): 24
flow interruptions, **1**(3): 35
leakage, **2**(3): 55–8
pump failure, **2**(1): 105
radioactivity, **1**(3): 30, 33–4; **2**(3): 59–60
rupture, **1**(4): 30–1; **2**(2): 33
shielding, **2**(3): 58
damage criterion, **1**(2): 3
delayed-neutron effects on stability, **3**(3): 22
design, **1**(2): 32–3; **1**(4): 64
drain line failure, **3**(1): 88
dynamic reactivity measurements, **3**(2): 27
effective delayed-neutron fraction measurements, **3**(2): 27–8
effluents, **1**(4): 58–61; **2**(2): 66–7
electrical systems, **1**(4): 43–4; **2**(1): 32–42
environmental activity monitoring, **1**(1): 35–6
excess prompt reactivity introduction, **1**(1): 13
exclusion distance, **1**(1): 8
excursions, **1**(4): 34–5, 65–8; **2**(2): 33–6; **2**(3): 54; **3**(2): 49–51
feedback effects on stability, **3**(3): 22–3
fire protection, **1**(3): 4
fission products, **1**(1): 4
atmospheric dispersion, **2**(2): 56–9
containment, **1**(4): 53–6; **2**(1): 55–69, 105; **2**(3): 31–4
deposition from gases, **3**(2): 46–9
release, **1**(2): 2–3; **1**(4): 18–20; **2**(1): 89–91; **2**(2): 20–2, 70–3; **3**(2): 19–20; **3**(4): 15–16
removal, from coolants, **2**(2): 41–2
from fuels, **2**(2): 39–42
fuels, bowing, **2**(1): 26
contamination of surface, **3**(1): 61–3
decontamination, **2**(2): 39–42
failure, **1**(2): 65; **1**(3): 75; **1**(4): 18–20, 31, 34–5, 61, 90; **2**(2): 70–3; **2**(3): 55–6, 58–9
fission-gas storage, **1**(4): 52
fission-product release, **1**(1): 32–3; **1**(2): 1, 14–15, 57–9, 66; **1**(3): 28–34, 71–3; **1**(4): 18; **2**(2): 20–2, 70–3
freezing, **2**(2): 13
handling, **2**(2): 7–9, 45–6
hot spots, **2**(4): 13–14
leak detection, **1**(3): 33–5; **2**(3): 27
meltdown, **1**(2): 57–9; **2**(1): 26–7
nondestructive testing, **1**(4): 41–3
parallel assembly incidents, **1**(1): 11, 13–15
Pu technology, **1**(3): 51
purging, **1**(3): 30–1
reactions, **1**(2): 17; **2**(2): 11–12; **3**(1): 22–3
removal accident, **1**(3): 72
reprocessing, **1**(2): 44–6; **1**(4): 23–4, 52, 58–61; **2**(2): 45–8; **2**(4): 39–41
rupture, **1**(3): 71–3
storage canals, **3**(4): 63–6
temperature distribution, **1**(2): 14–15
Xe removal, **1**(4): 48
fuels (Al-clad), shearing, **3**(4): 63–4
fuels (aqueous), decontamination, **2**(2): 40–1
phase reactions, **2**(2): 13–14
fuels (ceramic-coated), **2**(2): 41
fuels (graphite-U), fission-product release, **1**(3): 28–31
fuels (irradiated), temperature rise, **1**(3): 35
fuels (molten), reactions with water, **1**(2): 17
fuels (molten-salt), **2**(2): 12–13, 39–40
fuels (spent), shipment, **2**(1): 3–7; **3**(4): 98
storage, **2**(2): 8–9, 45–6
U recovery, **2**(2): 14–15
fuels (stainless-steel-canned), fuses, **2**(3): 27–30
hot spots, **2**(4): 14
fuels (STR type), fission-product release, **1**(1): 32
fuels (UO_2), **3**(1): 18–23
fuels (UO_2)(Zircaloy-clad), hydriding, **3**(1): 19
fuels (Zircaloy-clad), fission-product release, **1**(1): 33
fuels (ZrF_4-bearing), freezing, **2**(2): 13
fuses, **1**(1): 17–18; **1**(2): 2
gases
See also Gases
radioiodine removal from, **2**(3): 35–8
temperature determination in, **2**(1): 30–2
waste treatment, **2**(4): 39–41
hazards, **1**(1): 5, 40–2; **1**(4): 26–7, 64–8; **2**(1): 10–13, 49–50, 83–96; **2**(4): 12–13; **3**(1): 31–6; **3**(2): 49
heat diffusion effects on stability, **3**(3): 22
heat exchangers, **2**(1): 105; **2**(3): 56; **3**(1): 88–9
heavy-water leaks, **3**(1): 87–90; **3**(3): 37–8
hot spots, **2**(4): 13–14
inspection, **1**(1): 42–3; **2**(1): 1–3; **2**(3): 61–3
instrumentation, **2**(3): 24–7
insurance, **2**(4): 64; **3**(1): 91–2
kinetics, **1**(2): 1, 24–30; **1**(3): 22–4; **2**(1): 19–24, 106; **2**(3): 15–22, 60–1; **3**(1): 49; **3**(2): 22–9
licensing and regulation
See Nuclear industry
liens, **3**(1): 91
materials, chemical reactions, **1**(4): 20–4
meltdown, **1**(2): 1–2; **3**(1): 23
meteorological factors, **1**(1): 9; **1**(2): 3
moderators, Cd effects on graphite, **2**(2): 17
graphite heat release, **2**(4): 12–13
organic compounds, **1**(2): 18–19; **1**(4): 23
reactions, **1**(4): 23; **2**(2): 15–17
reactivity effects of loss, **1**(4): 34
toxicology, **1**(4): 58
mortgages, **3**(1): 91
neutron monitoring, **3**(2): 41–2; **3**(3): 29–32
noise analysis, **2**(1): 19–24
nonlinear analysis, **3**(3): 21–2
nozzles, **2**(3): 58
operation, **2**(1): 102–7; **2**(2): 75–81; **2**(3): 24–7
outlet nozzle failure, **3**(1): 88
parameters, **2**(1): 19–24
particulate filtering, **1**(4): 55
poisoning, **1**(1): 17–18
population density in environs, **1**(1): 9
power, bursts, **1**(1): 11
coefficients, **2**(1): 25–6
sources, **1**(2): 33–5
pressure vessels, codes, **1**(3): 4, 9–13, 52
concrete, **1**(2): 41–4
shock hydrodynamics, **1**(3): 52–3
strain-energy absorption, **1**(1): 27
prompt generation time measurements, **3**(2): 24–7
reactivity addition, **1**(2): 26
reactivity measurements, **3**(2): 23–4
regulation by AEC, **1**(1): 40

Reactors (Continued)
safety, 1(1): 2–3, 18–21, 48; 1(2): 1–2, 66; 2(1): 29–30; 2(2): 2–3, 27–9; 2(4): 3–6, 16–17; 3(2): 1–4; 3(3): 10–11
seismological factors, 1(1): 9
shielding, 2(3): 58
shutdown, 1(1): 19–20; 2(1): 29–30, 106–7; 2(2): 71; 2(3): 20–1
siting, 1(1): 4–5, 8–9, 40–2; 1(2): 2–5; 1(4): 64–8; 2(2): 3–5; 2(4): 1–3, 63–4; 3(2): 1–3, 73–7; 3(4): 12–17, 98
spatial oscillation effects on stability, 3(3): 22–3
stability, 2(1): 19–20, 24–6; 3(1): 23–8; 3(3): 18–23
stainless-steel failure, 3(1): 39–41
startup incident analysis, 1(2): 25–6
steam generation, 2(3): 56
temperature measurement, 3(2): 43–6
tort liability, 1(2): 9
transfer functions, 2(1): 24–6
transients, 1(2): 29; 3(1): 48–50
U^{235} fission-product heating, 3(3): 23–4
valves, 2(1): 105; 2(3): 56–7
Reactors (Advanced Sodium Graphite), kinetics, 3(1): 48–9
Reactors (AGN-201), safety, 3(4): 19
Reactors (AGN-211), safety, 3(4): 19–20
Reactors (Aircraft Reactor Experiment), molten-fluoride-fuel phase diagram, 2(2): 12–13
Reactors (Armour Research), excursions, 1(1): 12
Reactors (bare slab), spatial variation of flux with time, 1(2): 29
Reactors (Belgian), 1(2): 24; 2(2): 3, 60, 62
Reactors (Berkeley Power Station), fuel leak detection, 1(3): 34
Reactors (Big Rock Point Plant), containment, 2(1): 57–60, 62, 64–7
control rods and rod drives, 2(4): 24–8, 34–5
electric power system, 2(1): 34–5, 38
licensing and regulation, 2(1): 108–9; 2(2): 82; 2(3): 64, 68, 71; 2(4): 66–7; 3(1): 95–6; 3(2): 78; 3(3): 84; 3(4): 99–100, 102
maximum credible accident, 1(4): 27–8
public radiation exposure hazards, 2(1): 84–5, 87
Reactors (Bodega Bay), containment, 3(4): 54–5
licensing and regulation, 3(4): 100
Reactors (Boiling Nuclear Superheater), containment, 2(1): 56–60, 62, 64–7, 69; 3(4): 54, 56
control rods and rod drives, 2(4): 24–30
earthquake design, 3(4): 60
electric power system, 2(1): 34–5, 38
licensing and regulation, 2(1): 109; 2(2): 82, 88–9; 2(3): 64, 68; 2(4): 67; 3(1): 96; 3(2): 78; 3(3): 84; 3(4): 100
maximum credible accident, 1(4): 27–8
public radiation exposure hazards, 2(1): 84–5, 87
waste disposal, 1(4): 76–7
Reactors (Boiling Reactor Experiments), criticality accident, 3(2): 37
dynamic behavior, 1(3): 23
fuse tests, 1(1): 17
licensing and regulation, 3(1): 96
mechanics, 1(3): 23
physics, 1(3): 23
power bursts, 1(1): 12–13
reactivity step insertion, 2(3): 18–19
Reactors (Boiling Reactor Experiments-I), metal-water reactions, 3(4): 37
Reactors (Boiling Reactor Experiments-IV), fission-product release, 1(4): 19
power threshold for self-induced oscillations, 1(3): 22
stability, 1(3): 22–4
water head boiloff, 1(3): 22
Reactors (Boiling Reactor Experiments-V), licensing and regulation, 3(2): 78; 3(3): 84, 86; 3(4): 100
Reactors (boiling-water), concrete-shield fracture, 2(2): 34–5
containment, 3(1): 84; 3(4): 53–4
contamination, 3(1): 81–2
control rods and rod drives, 2(4): 23; 3(1): 82–4
dynamic behavior, 1(3): 23
excursions, 1(1): 12
feedback theory, 1(3): 24
fuel failure, 3(1): 82
hydraulics, 1(3): 23
incidents, 3(1): 85–7; 3(2): 36
kinetics, 3(1): 85
loss-of-coolant accident, 3(4): 53
maximum credible accidents, 1(4): 25, 28
operation, 3(1): 80–7
personnel exposure, 3(1): 82
power variation harmonics, 1(3): 23–4
radiation levels, 3(1): 81–2
stability, 1(3): 23; 2(1): 24–6
Reactors (British Experimental Pile O), atmospheric diffusion of gases from, 1(3): 57–9
gaseous-waste decontamination, 2(4): 39–40
graphite annealing, 1(2): 21–2; 2(3): 13–14
power bursts, 1(1): 12–13
Wigner energy release, 1(2): 20
Reactors (Brookhaven) control-rod failure, 3(1): 46
fuel-element leak detection, 1(3): 33
graphite annealing, 1(2): 24
Reactors (Bulk Shielding Facility), air activity, 3(1): 63
dynamic reactivity measurements, 3(2): 27
effective delayed-neutron fraction measurements, 3(2): 28
excursions, 3(2): 28
prompt generation time measurements, 3(2): 26
safety, 3(4): 20–1
Reactors (Calder Hall), fuel-element failure, 1(4): 90
fuel-element leak detection, 1(3): 34
graphite in, annealing, 1(2): 22
reaction with CO_2, 1(3): 27–8
Wigner energy, 1(4): 90
kinetics, 1(4): 90
Reactors (CANDU), control-system reliability, 1(4): 44–5
Reactors (Carolinas-Virginia Tube), containment, 2(1): 56–60, 62, 64–7
control rods and rod drives, 2(4): 24–30
cooling system, 1(4): 38–40
electric power system, 2(1): 34–5, 41
heavy-water leak detection, 3(3): 37–8
licensing and regulation, 1(4): 93–4; 2(1): 109; 2(2): 82; 2(3): 64, 68; 2(4): 67; 3(1): 96; 3(2): 78; 3(3): 84; 3(4): 100
maximum credible accident, 1(4): 27, 30
public radiation exposure hazards, 2(1): 84–5, 87
waste disposal, 1(4): 76
Reactors (Chalk River), fuel-element leak detection, 1(3): 33
waste disposal, 1(4): 73; 2(3): 51
Reactors (Consolidated Edison Thorium), containment, 1(1): 44; 1(3): 49; 2(1): 57–61, 63, 65–7; 3(1): 44–5
control rods and rod drives, 2(4): 24–8, 35–6
cooling system, 1(4): 39–40
electric power system, 2(1): 33–6
fuel-storage canal, 3(4): 65–6
licensing and regulation, 1(1): 44; 2(2): 83; 2(3): 65, 68; 2(4): 67–8; 3(1): 97, 99; 3(2): 79–81; 3(3): 85, 88; 3(4): 101–3
maximum credible accident, 1(4): 24–6
public radiation exposure hazards, 2(1): 84–6
waste disposal, 1(4): 76–7
Reactors (Danish), containment-structure leak testing, 3(3): 38–9
Reactors (DIDO), gaseous-waste decontamination, 2(4): 40
Reactors (Dounreay Fast), fuel-element fabrication, 1(3): 39
Reactors (Dragon), criticality accident, 3(2): 37
Reactors (Dresden Nuclear Power Station), AEC hearing, 1(3): 83–4
containment, 1(1): 23–5, 29–30; 1(3): 49; 2(1): 57–61, 63, 65–7; 3(1): 44–5
control rods, 2(4): 24–8, 34–5
drives, 2(4): 24–8, 34–5; 3(1): 46–7
index tube failure, 3(1): 39–41
cooling system, 1(4): 39–40
electric power system, 1(2): 34; 2(1): 34–7
heat sink, 1(1): 24
licensing and regulation, 1(1): 44; 2(1): 109–10; 2(2): 82, 86; 2(3): 64, 72; 2(4): 66–8; 3(1): 95–6, 98; 3(2): 77–8, 80; 3(3): 84, 86; 3(4): 100, 102
maximum credible accident, 1(4): 25–6
neutron-flux monitoring, 1(1): 44; 3(2): 41–2
public radiation exposure hazards, 2(1): 84–6
system analysis, 2(1): 24–5
waste disposal, 1(4): 76–7
Reactors (Elk River), containment, 2(1): 57–61, 63, 65–7
control rods and rod drives, 2(4): 24–30
cooling system, 1(4): 38–40
electric power system, 2(1): 34–5, 37–8
licensing and regulation, 2(2): 82; 2(3): 64, 68, 71; 2(4): 67–8; 3(1): 96, 98; 3(2): 78, 80; 3(3): 84, 87; 3(4): 100
maximum credible accident, 1(4): 25–6, 28
public radiation exposure hazards, 2(1): 84–6
waste disposal, 1(4): 76–7
Reactors (Engineering Test), air-oil explosion in compressor, 2(1): 44–5
core hydraulics, 1(1): 15
fuel-assembly collapse, 1(1): 14–15
fuel-element hydraulics, 1(1): 15
hazard analysis of KAPL-F-10 experiment, 1(1): 5–6
hot spots, 2(4): 14
incidents, 3(3): 74–81; 3(4): 93–5
safety systems, 2(1): 29–30
stability, 1(1): 11–12
Reactors (Enrico Fermi Atomic Power Plant), containment, 1(3): 49; 2(1): 56–60, 62, 64–8; 3(1): 44–5
control rods and rod drives, 2(4): 24–8, 30–3
cooling system, 1(4): 39–41
electric power system, 2(1): 34–5, 38–9
electrical engineering, 1(2): 34
fuel-reprocessing hazards, 1(2): 45
fuel storage, 3(4): 66
inert-gas system hazards, 1(4): 52
licensing and regulation, 2(1): 114–15; 2(2): 81, 83; 2(3): 65, 71–2; 2(4): 67; 3(1): 96, 98–9; 3(2): 78–80; 3(3): 84, 87; 3(4): 100, 102
maximum credible accident, 1(4): 27–9
primary system rupture, 1(4): 28–9
public radiation exposure hazards, 2(1): 84–5, 87
waste disposal, 1(4): 76–7

Reactors (Experimental Boiling-Water), containment, 1(1): 29–30; 1(3): 49; 2(3): 34
control-rod-drive failure, 3(1): 39, 47
data, 1(3): 23
dynamic behavior, 1(3): 23
equipment reliability, 3(4): 29
licensing and regulation, 3(1): 96; 3(2): 78; 3(3): 84; 3(4): 100
parameter determination, 2(1): 19
power level, 1(3): 80–1
stability analysis, 2(1): 25

Reactors (Experimental Breeder), control, 1(2): 1; 3(2): 69
criticality accident, 3(2): 37
description with Mark I core, 3(2): 68–9
development of Mark IV core, 3(2): 71
excursion with Mark II core, 3(2): 70
fuel inventory, 3(2): 69
kinetics, 1(2): 1
operation, 3(2): 68–71
safety circuits, 3(2): 69

Reactors (Experimental Breeder-I), power coefficient, 2(1): 25–6
stability of Mark III core, 3(3): 16–17

Reactors (Experimental Breeder-I, Mark II), meltdown, 3(1): 23

Reactors (Experimental Breeder-II), containment, 1(1): 22–3; 1(3): 49
fuel meltdown, 2(1): 26–7
licensing and regulation, 3(1): 96; 3(2): 78; 3(3): 84; 3(4): 100

Reactors (Experimental Gas-Cooled), containment, 1(2): 42–3, 64; 1(3): 49; 2(1): 57–60, 62, 64–6; 3(4): 58
control rods and rod drives, 2(4): 24–8, 33–4; 3(3): 34
cooling system, 1(4): 39–41
earthquake design, 3(4): 60
electric power system, 2(1): 34–5, 39
fuel, Kr^{85} release, 3(2): 19
leak detection, 1(3): 34
predicted failure, 1(2): 65
storage, 2(2): 9
gas-temperature determination, 2(1): 30–2
graphite oxidation, 3(3): 23
hazards summary, 1(2): 63–5
He purification, 1(4): 53
hot spots, 2(4): 14
licensing and regulation, 2(2): 83; 2(3): 65; 2(4): 67; 3(1): 96; 3(2): 78; 3(3): 84; 3(4): 100
maximum credible accident, 1(4): 27, 29
public radiation exposure hazards, 2(1): 84–5, 87
waste disposal, 1(4): 76–7

Reactors (Experimental Low-Temperature Process-Heat), licensing, 2(1): 110

Reactors (fast), control, 3(4): 44–5
kinetics and stability, 2(1): 25–6; 3(1): 25–8

Reactors (Florida West Coast Nuclear Power Plant), containment, 2(1): 56–60, 62, 64–7
control rods and rod drives, 2(4): 24–8, 33–4
cooling system, 1(4): 39–41
electric power system, 2(1): 34–5, 40
licensing and regulation, 2(2): 81, 83, 86; 2(3): 65; 2(4): 67; 3(1): 99; 3(2): 80
maximum credible accident, 1(4): 27, 30
public radiation exposure hazards, 2(1): 84–5, 87
system pressure loss, 1(4): 30
waste disposal, 1(4): 76–7

Reactors (Ford Nuclear), shim safety-rod deformation, 3(1): 46

Reactors (FRM), in-core neutron-flux monitoring, 3(2): 41

Reactors (gas-cooled), coolant decontamination, 2(2): 41–2
filtering dust from CO_2, 1(3): 46
fuel, ceramic coating, 2(2): 41
handling, 2(2): 7–8
leak detection, 1(3): 34
purging, 1(3): 31
gas-temperature determination, 2(1): 30–2
hot spots, 2(4): 14
maximum credible accident analysis, 1(1): 26

Reactors (gas-cooled graphite), comparison with pressurized-water reactors, 1(1): 3–4

Reactors (General Electric Test), containment, 1(3): 49
control-rod-drive failure, 3(1): 47
fuel-element rupture, 3(4): 64

Reactors (Godiva), 1(1): 12–13; 2(3): 18; 3(4): 43, 45

Reactors (graphite), 1(2): 20–4, 35–7

Reactors (Halden Boiling), underground building cost, 2(3): 34

Reactors (Hallam Nuclear Power Facility), containment, 2(1): 56–60, 62, 64–7
control rods and rod drives, 2(4): 24–8, 30–3
cooling system, 1(4): 39–40
electric power system, 2(1): 34–5, 38–9
fuel storage, 3(4): 66
leak testing of containment structure, 3(3): 39
licensing and regulation, 2(1): 110–11; 2(2): 83, 88; 2(3): 65, 68; 2(4): 67; 3(1): 96; 3(2): 78; 3(3): 84, 87; 3(4): 100, 103
maximum credible accident, 1(4): 27, 29
public radiation exposure hazards, 2(1): 84–5, 87
waste disposal, 1(4): 76

Reactors (Hanford Production), containment, 3(4): 56
slug rupture, 3(4): 64

Reactors (Harwell), safety evaluation, 2(2): 3

Reactors (Heat-Transfer Reactor Experiment No. 3), excursion, 1(2): 57–9
fission-product release, 1(2): 57–9
fuel meltdown, 1(2): 57–9
scram, 1(2): 57–9

Reactors (Heat-Transfer Reactor Experiment No. 3A), operation, 1(3): 81

Reactors (Heavy-Water Components Test), containment, 1(2): 43; 2(1): 56; 3(3): 40; 3(4): 56

Reactors (high-flux), Xe instability, 1(2): 35–7

Reactors (High-Flux Isotope), afterheat, 3(3): 23

Reactors (High-Temperature Gas-Cooled), fission-product containment, 1(3): 31; 2(2): 41

Reactors (homogeneous), containment, 2(3): 41
fuel, 2(2): 13–14, 40–1
parameter determination, 2(1): 19
power oscillation, 2(1): 23–4
transient studies, 1(1): 11

Reactors (Homogeneous Reactor Test), charcoal-adsorber fire, 1(4): 49
containment, 1(3): 49; 2(3): 41
cooling system, 1(4): 39–41
core tank holes, 2(1): 99–102
core tank leak, 1(1): 15–16
excursions, 3(3): 17–18
fuel reactions, 2(2): 13–14
I^{131} removal from steam, 1(3): 43
maximum credible accident, 1(4): 27–8
off-gas decontamination, 1(4): 47–9
parameter determination, 2(1): 19
power oscillation, 2(1): 23–4
startup transients, 3(3): 18
waste disposal, 1(4): 76

Reactors (Honeycomb), criticality accident, 3(2): 37

Reactors (Hot Gas-Cooled Reactor No. 1), fission-product release from fuel, 1(3): 28–30

Reactors (Humboldt Bay Power Plant), containment, 2(1): 57–60, 62–3, 65–6; 3(4): 54
control rods and rod drives, 2(4): 24–8, 34–5
cooling system, 1(4): 39–40
earthquake design, 3(4): 60
electric power system, 2(1): 34–5, 38
leak testing of containment structure, 3(3): 40
licensing and regulation, 2(1): 111; 2(2): 83, 87–8; 2(3): 65, 68–9; 2(4): 67–8; 3(1): 96; 3(2): 79; 3(3): 85, 87; 3(4): 101
maximum credible accident, 1(4): 27–8; 2(1): 49–50, 84–6
pressure suppression, 2(1): 49–50, 56
public radiation exposure hazards, 2(1): 84–6
waste disposal, 1(4): 76–7

Reactors (Improved-Cycle Boiling-Water), licensing and regulation, 2(2): 89; 3(1): 97

Reactors (Kinetic Experiment on Water Boilers), control, 1(2): 1
experimental program, 3(1): 28–31
kinetics, 1(2): 1
parameter determination, 2(1): 19
power transients, 1(1): 11–13
prompt generation time measurements, 3(2): 26–7
radiolytic gas formation, 3(1): 28–31
reactivity step insertion, 2(3): 18
transfer-function determination, 2(1): 25

Reactors (La Crosse Boiling-Water), licensing and regulation, 3(2): 79; 3(3): 85, 88; 3(4): 101

Reactors (light-water-moderated and -cooled), 1(3): 22–3; 3(1): 22–3

Reactors (liquid-cooled), fuel leak detection, 1(3): 34

Reactors (liquid-metal-cooled), containment, 2(3): 57–8
coolants, 2(3): 55–60
cooling-system shielding, 2(3): 58
fuel, 2(2): 8, 11–12; 2(3): 55–60
heat-exchanger performance, 2(3): 56
nozzle thermal stresses, 2(3): 58
operation, 2(3): 54–61
parameter determination, 2(1): 19
repair under radioactive conditions, 2(3): 60
stability, 2(3): 60–1
steam-generator performance, 2(3): 56
valve performance, 2(3): 56–7

Reactors (Liquid-Metal Fuel), fuel decontamination, 2(2): 40
transient analysis, 3(1): 49

Reactors (liquid-moderated), personnel exposures, 1(2): 54–5

Reactors (Livermore Pool Type), containment, 1(3): 49

Reactors (Low-Intensity Test), afterheat removal, 3(3): 23–4
coolant contamination, 3(1): 62–3
decay heat removal, 1(3): 35
dynamic behavior, 1(3): 23
safety systems, 2(1): 29–30

Reactors (Marcoule), concrete pressure vessels, 1(2): 41–2

Reactors (marine), safety considerations, 2(4): 3–6

Reactors (Massachusetts Institute of Technology Research), containment, 1(3): 49

Reactors (Materials Testing), air-oil explosion in compressor, 2(1): 44–5
charcoal-adsorber fire, 1(4): 48–9

Reactors (Materials Testing) (Continued)
fission-gas adsorption, 1(4): 52
fuel leak detection, 1(3): 34
graphite stored energy, 2(3): 14–15
heat-exchanger leak detection, 3(3): 36–7
hot spots, 2(4): 14
incidents, 3(1): 35; 3(3): 74–81
molten-salt-fueled loops, 3(1): 36
safety systems, 2(1): 29–30
WCAP-4 in-pile loop, 3(1): 35–6
Reactors (molten-salt), 2(2): 12–13, 39–40
Reactors (New Production), containment, 3(4): 55–6
Reactors (NMSR), maximum credible accident, 1(4): 26
Reactors (NPD-II), containment, 3(4): 54
Reactors (NRU), 1(3): 70–3; 2(2): 48–9; 3(4): 29
Reactors (NRX), 2(3): 14–15; 3(2): 37; 3(4): 29, 37
Reactors (N.S. *Savannah*)
See also Nuclear ships
collision, 1(4): 11
containment, 1(4): 8–9; 2(1): 57–61, 63, 65–7; 3(1): 44–5
contamination of hydrosphere, 1(4): 10
control-rod worth, 3(3): 34
control rods and drives, 2(4): 21, 24–8, 36–7
cooling system, 1(1): 31; 1(4): 39–40
core material specifications, 1(1): 31
electric power system, 2(1): 34–6
fission products, 1(4): 10, 18, 50
hazards, 1(4): 9–11; 2(1): 84–6
licensing and regulation, 1(4): 93; 2(2): 84, 89; 2(3): 66; 2(4): 67, 70; 3(1): 97, 99–100; 3(2): 79, 81; 3(3): 85, 88; 3(4): 101, 103
maximum credible accident, 1(4): 9, 25
power sources, 1(2): 34
safety features, 1(4): 8–9; 3(1): 44–5
waste disposal, 1(2): 19; 1(4): 9, 76–7
Reactors (Oak Ridge Graphite), graphite annealing, 1(2): 23–4; 2(3): 13–14
heat removal, 1(3): 35; 3(3): 23–4
safety, 3(4): 29
slug rupture, 3(4): 64
Reactors (Oak Ridge Research), containment, 1(1): 25–6; 1(4): 55–6; 2(3): 41
control-rod-drive latch, 3(4): 49–50
coolant contamination, 3(1): 62–3
decay heat removal, 1(3): 35
electric system reliability, 1(4): 44
fission products, 1(1): 25–6; 1(2): 42; 1(3): 41–2; 1(4): 52–6; 2(3): 41
fuel-storage-canal contamination, 3(4): 64
fuel temperature rise, 1(3): 35
safety systems, 2(1): 29–30
Reactors (Organic-Cooled Reactor Prototype), licensing and regulation, 3(1): 97
Reactors (Organic-Moderated Reactor Experiment), 2(2): 8, 75–81
Reactors (ORNL GCR-2), fuel-element leaks, 1(1): 26
Reactors (Partially Enriched Gas-Cooled Power), fuel storage, 2(2): 9
Reactors (Pathfinder Atomic Power Plant), containment, 2(1): 57–61, 63, 65–7
control rods and rod drives, 2(4): 24–30
cooling system, 1(4): 39–40
electric power system, 2(1): 34–5, 38
licensing and regulation, 1(4): 91–2; 2(1): 112; 2(2): 84; 2(3): 66, 68, 70; 2(4): 67–8; 3(1): 97; 3(2): 79; 3(3): 85, 88; 3(4): 101
maximum credible accident, 1(4): 27–8
public radiation exposure hazards, 2(1): 84–5
waste disposal, 1(4): 76
Reactors (Peach Bottom Atomic Power Station), containment, 2(1): 57–60, 62, 64–7; 3(4): 58
control rods and rod drives, 2(4): 24–8, 30–3
electric power system, 2(1): 34–5, 40
fuel storage, 3(4): 66
licensing and regulation, 2(1): 112; 2(2): 84; 2(3): 66, 68, 70; 2(4): 67–9; 3(1): 97; 3(2): 79; 3(3): 85, 88; 3(4): 101, 103
maximum credible accident, 1(4): 27, 29
public radiation exposure hazards, 2(1): 84–5, 87
Reactors (Physical Constants Testing), control-rod effectiveness, 3(2): 39–41
Reactors (Piqua Nuclear Power Facility), AEC hearing, 1(3): 84
containment, 2(1): 57–60, 62, 64–8; 3(1): 44–5
control rods and drives, 2(4): 23–9
cooling system, 1(4): 39–40
electric power system, 2(1): 34–5, 40
fuel handling, 2(2): 8
licensing and regulation, 2(2): 84; 2(3): 66, 68; 2(4): 67; 3(1): 97; 3(2): 79, 81; 3(3): 85, 88; 3(4): 101
maximum credible accident, 1(4): 27, 29
public radiation exposure hazards, 2(1): 84–5, 87
waste disposal, 1(4): 76
Reactors (Plum Brook Reactor Facility), containment, 1(3): 49; 3(3): 39
licensing and regulation, 2(1): 111–12; 2(3): 69–70; 2(4): 69; 3(1): 100; 3(2): 81; 3(3): 88; 3(4): 103–4
Reactors (PLUTO), gaseous-waste decontamination, 2(4): 40
I^{132} adsorption, 2(3): 37–8
Reactors (Plutonium Recycle Test), analog-computer simulation, 3(1): 49–50
containment, 1(3): 49
licensing, 2(1): 113
off-gas fission-product removal, 1(4): 52
piping failure, 1(4): 34–5
Reactors (power), auxiliary power, 1(2): 33–5
containment, 2(1): 55–69, 89–91; 2(3): 31–4; 3(3): 39–40; 3(4): 52–8
contamination of rivers, 3(2): 60–5
control rods and rod drives, 2(4): 17–37
cooling systems, 1(4): 38–41
decontamination, 2(2): 52
design, 1(2): 32–3
differential pressure measurement, 3(2): 43
electric power systems, 2(1): 32–42
equipment reliability, 3(4): 28–36
fuel handling and storage, 2(2): 8–9
fuses, 2(3): 28
gas-flow measurement, 3(2): 42
instrumentation, 3(2): 42–4
legal aspects, 1(2): 7–8
licensing and regulation, 1(1): 43–7; 1(2): 63–5; 1(3): 80–5; 1(4): 90–4; 2(1): 107–15; 2(2): 81–9; 2(3): 61–72; 2(4): 63–71; 3(1): 90–101; 3(2): 76–83; 3(3): 9–13, 81–9; 3(4): 96–104
liquid-level measurement, 3(2): 42
maximum credible accidents, 1(4): 31–2; 2(1): 49–50, 83–96
pressure suppression, 2(1): 49–50
public radiation exposure hazards, 2(1): 83–96
safety evaluation, 1(4): 3–4; 2(2): 2–3
seismic considerations, 3(4): 58–63
siting, 1(3): 47, 49; 2(2): 3–5; 3(4): 12–17
stability, 2(1): 25
waste disposal, 1(4): 75–7
water-flow measurement, 3(2): 42
Xe instability, 1(2): 35–7
Reactors (power breeder), breeding gain and power requirements, 3(2): 6–8
Reactors (pressurized-water), bibliography, 1(2): 66
comparison with gas-cooled graphite reactors, 1(1): 3–4
concrete-shield fracture, 2(2): 34–5
contamination, 3(4): 63
coolant loss, 1(4): 35
cooling systems, 3(1): 49; 3(2): 20–2
fuel cooling at decay heat power levels, 1(3): 35
maximum credible accidents, 1(4): 24–6
spatial variation of flux with time, 1(2): 29–30
stability, 2(1): 25–6
Reactors (pulse), control systems, 3(4): 43–6
Reactors (R4/EVE), containment, 3(4): 56
Reactors (Radiation Effects), licensing and regulation, 2(4): 69–70; 3(1): 99; 3(2): 81
Reactors (research), decay heat removal, 1(3): 34–5
licensing, 1(3): 85–6
Reactors (Savannah River Plant), fuel dissolution, 2(2): 47
heavy-water leaks, 3(1): 87–90
neutron-flux monitoring, 3(2): 41
waste disposal, 1(2): 47–8; 1(4): 60, 70
Reactors (Saxton Nuclear Experimental Reactor Project), containment, 2(1): 57–61; 63, 65–7
control rods and rod drives, 2(4): 23–9
cooling system, 1(4): 38–41
electric power system, 2(1): 34–5
licensing and regulation, 1(4): 93; 2(2): 85; 2(3): 67–8, 71; 2(4): 67; 3(1): 97, 100; 3(2): 79, 81–2; 3(3): 85, 88–9; 3(4): 101, 104
maximum credible accident, 1(4): 25–6
public radiation exposure hazards, 2(1): 84–6
waste disposal, 1(4): 76–7
Reactors (Shippingport Pressurized-Water), cold-water incident analog simulation, 1(1): 10
containment, 1(3): 49; 2(1): 57–61, 63, 65–7, 105; 3(1): 44–5
control, 1(2): 34; 2(4): 24–8, 30–3
coolant pump failure, 2(1): 105; 3(1): 49
coolant radioactivity, 1(1): 31–2; 2(1): 103–4; 3(2): 20–1
cooling system, 1(4): 38–41
electric power system, 1(2): 34; 2(1): 33–5
equipment reliability, 3(4): 29
fission-product release during simulated meltdown, 1(1): 32
fuel-storage canal, 3(4): 64–5
heat-exchanger failure, 2(1): 105
kinetics, 2(1): 106
licensing and regulation, 2(2): 84; 2(3): 67; 2(4): 67–8; 3(1): 97; 3(2): 79; 3(3): 85; 3(4): 101
loss-of-coolant accident, 3(4): 40
maximum credible accident, 1(4): 24, 26
neutron-flux monitoring, 3(2): 41
operation, 2(1): 102–7
public radiation exposure hazards, 2(1): 84–6
relief-valve leakage, 2(1): 105
scram, 2(1): 106–7
shutdown, 2(1): 106–7
stability, 2(1): 25
stainless-steel applications, 3(1): 40
thermal transients, 1(1): 11, 13
UO_2 decontamination, 2(2): 52
waste disposal, 1(4): 76–7
Reactors (Small Pressurized-Water), containment, 2(1): 56–61, 63, 65–7
electric power system, 2(1): 34–5
licensing and regulation, 2(2): 85

Reactors (Small Pressurized-Water) (Continued)
public radiation exposure hazards, 2(1): 84–6
Reactors (Sodium Reactor Experiment), containment, 2(3): 57–8
coolants, 1(4): 19–20; 2(3): 55–60
cooling system, 1(4): 39–40; 2(3): 58
cover-gas contamination, 1(4): 20
fission-product release, 1(4): 19–20
fuel, bowing effects, 3(3): 16
damage, 2(3): 55–6, 58–9
failure, 1(3): 73–5; 1(4): 19–20
handling hazards, 1(2): 45
removal, 2(3): 60
solid-phase reactions, 2(2): 11–12
heat-exchanger performance, 2(3): 56
licensing and regulation, 3(1): 97; 3(2): 79; 3(3): 85; 3(4): 101
nozzle thermal stress, 2(3): 58
operation, 2(3): 54–61
parameters, 2(1): 19; 3(3): 17
power coefficients, 3(3): 17
prompt generation time measurements, 3(2): 26–7
radiation levels, 2(3): 58–60
repair under radioactive conditions, 2(3): 60
shutdown, 1(2): 63
stability, 2(3): 60–1; 3(3): 17
steam-generator performance, 2(3): 56
valve performance, 2(3): 56–7
Reactors (Southern California Edison), licensing and regulation, 3(1): 97
Reactors (Special Power Excursion Reactor Tests), control, 1(2): 1
dynamic behavior, 1(3): 23
excursions, 3(2): 28–9; 3(3): 15–16
facilities, 2(3): 15–17
fuel-rod bowing effects, 3(3): 15–16
fuses, 2(3): 29
kinetics, 1(2): 1
metal-water reactions, 3(4): 37
power bursts, 1(1): 12–13
pressurizer-vessel failure, 3(4): 91–3
prompt generation time measurements, 3(2): 27
reactivity insertion, 2(3): 18–19
shutdown, 1(3): 23; 2(3): 20–1
stability, 2(3): 19–20
static experiments, 2(3): 17–18
summary description, 2(3): 15–22
transfer-function measurements, 2(1): 24
Reactors (Stanford Research Institute), containment-vessel blast effects, 3(2): 49–50
Reactors (Stationary Low-Power Plant No. 1), containment, 3(4): 57
control-rod failure, 3(1): 47–8
equipment reliability, 3(4): 29
incident, 2(3): 54; 2(4): 42; 3(1): 73–5; 3(2): 1, 37; 3(3): 42, 64–74; 3(4): 57
Reactors (Stationary Medium-Power Plant No. 1), containment, 1(3): 49
coolant radioactivity, 1(1): 31; 1(4): 19; 3(2): 20–1
cooling system, 1(4): 38–41
decontamination, 1(1): 31; 1(2): 40
equipment reliability, 3(4): 29
fuel, 1(1): 31–2
fission-product release during meltdown, 1(1): 32
maximum credible accident, 1(4): 24, 26
seismic effects, 3(4): 61
waste disposal, 1(4): 76–7
Reactors [Submarine Advanced Reactor Prototype (S3G)], fuel leak detection, 1(3): 33
Reactors (Submarine Thermal), fission-product release, 1(1): 33
Reactors (test), containment, 2(1): 56; 2(3): 41
fuel failure, 2(2): 70–3
fuses, 2(3): 29
kinetics, 2(3): 15–22
licensing and regulation, 2(1): 113; 3(1): 91, 95–101
safety, 1(4): 3–4; 2(1): 29–30
Reactors (thermal), Xe instability, 1(2): 35–7
Reactors (Tokai-Mura), earthquake design, 3(4): 60, 62–3
Reactors (training), licensing, 1(3): 85–6
safety, 3(4): 17–21
Reactors (Transient Reactor Test Facility), meltdown, 1(2): 2; 2(1): 26–7
negative temperature coefficient, 1(4): 33–4
Reactors (TRIGA), negative temperature coefficient, 1(4): 32–3
reactivity step insertion, 2(3): 18
safety, 3(4): 19
Reactors [U.S.S. *Seawolf* (S2G)], fuel handling, 2(2): 8
Reactors (U.S.S. *Triton* Prototype), air-oil explosion in compressor, 2(1): 45
Reactors (University), safety, 3(4): 17–21
Reactors (UTR-10), safety, 3(4): 18–19
Reactors (Vallecitos Boiling-Water), containment, 1(1): 29–30; 1(3): 49; 2(1): 57–61, 63, 65–8; 3(1): 44–5, 84
contamination, 3(1): 81–2
control-rod drives, 2(4): 24–8, 37; 3(1): 39–40, 83–4
control rods, 2(4): 24–8, 37; 3(1): 82–3
cooling system, 1(4): 39–40
dynamic behavior, 1(3): 23
earthquake design, 3(4): 60
electric power system, 2(1): 34–5
equipment reliability, 3(4): 29
fuel failure, 3(1): 82
incidents, 3(1): 85–7
instability of heterogeneous core, 1(1): 46–7
kinetics, 3(1): 85
licensing and regulation, 1(1): 45–7; 1(4): 92–3; 2(2): 85–6; 2(3): 67–9; 2(4): 67, 70; 3(1): 97, 100–1; 3(2): 79, 82; 3(3): 85, 89; 3(4): 101, 104
maximum credible accident, 1(4): 25–6
operation, 3(1): 80–7
public radiation exposure hazards, 2(1): 84–6
radiation levels, 3(1): 81–2
scram, 1(1): 46
waste disposal, 1(4): 76–7
Reactors (Vallecitos Experimental Superheat), licensing and regulation, 3(2): 79, 82; 3(3): 85, 89; 3(4): 101
Reactors (water-cooled), containment, 3(4): 58
fuel-element leak detection, 1(3): 33
Reactors (Westinghouse Testing), fuel failure, 2(2): 70–3
licensing and regulation, 1(1): 45; 1(3): 80, 86; 2(4): 70–1; 3(2): 82; 3(3): 89; 3(4): 104
metal-water reactions, 3(4): 37
Reactors (Windscale Production), graphite annealing, 1(2): 22–4
incident, 1(1): 33–5; 1(2): 55; 2(2): 21–2; 3(4): 15–16
Reactors (Wisconsin Pool Type), safety, 3(4): 19
Reactors (Wright-Patterson Air Field), containment testing, 1(1): 29
Reactors (Yankee Nuclear Power Station), containment, 1(1): 25; 1(3): 49; 2(1): 57–61, 63, 65–8; 3(1): 44–5; 3(3): 39
control rods and rod drives, 2(4): 23–9
coolant-flow loss, 1(1): 10–11
cooling system, 1(4): 38–40; 2(2): 52
decay heat removal, 1(3): 35
electric power system, 2(1): 34–6
leak testing of containment structure, 3(3): 39
licensing and regulation, 1(1): 43–4; 1(4): 92; 2(1): 113–14; 2(2): 85–7; 2(3): 67, 70; 2(4): 67, 71; 3(1): 97, 101; 3(2): 79, 83; 3(3): 85, 89; 3(4): 101, 104
maximum credible accident, 1(4): 25–6
neutron-flux monitoring, 3(2): 41
Pu buildup, 1(1): 43–4
public radiation exposure hazards, 2(1): 84–6
startup accidents, 1(3): 23
waste disposal, 1(4): 76–7
weld inspection, 1(1): 29
Reactors (Zero Power-V), prompt generation time measurements, 3(2): 26
Redox multipurpose dissolver, containment, 3(1): 51–6
incidents, 2(4): 52–5; 3(1): 56
Resins (ion exchange), disposal of spent, 1(4): 75
Restricted data, safeguarding, 3(3): 82
Rhodium, analysis in biosphere, 3(3): 54
Rice Institute, research and training reactor licensing, 1(3): 85
Rivers, contamination and sampling, 3(2): 60–5
Rocks, fission-product absorption, 2(3): 33–4
Rubidium isotopes, containment and processing in ORR, 1(4): 53–6
distribution in plants, 1(3): 63
removal from gas-cooled-reactor coolants, 2(2): 41–2
Rural Cooperative Power Association, AEC hearing, 1(3): 84–5
Ruthenium isotopes, distribution in rats, 3(2): 66
release, 1(3): 77; 1(4): 79, 85; 2(2): 21–2; 3(4): 15
removal from gaseous wastes, 2(4): 39–40
sorption by soil, 1(3): 67
surface deposition of airborne, 3(4): 79–80
travel in ground water, 1(4): 66
Ruthenium tetroxide, removal from gases, 1(3): 45

S

Saclay, waste disposal into fresh water, 1(4): 73
Safeguards reports, 1(1): 48; 1(2): 65–6; 1(3): 86–7; 1(4): 94–5; 2(1): 115; 2(2): 89–91; 2(3): 72–3; 2(4): 71–2; 3(1): 101–2; 3(2): 83; 3(3): 90; 3(4): 106–7
Samarium-149, release from UO_2, 2(2): 21
Sandia Corporation, incident, 3(4): 90
Savannah River Laboratory, waste disposal, 1(2): 47–8; 1(4): 60, 70
Scrubbers
See also Adsorbers, Air, Filters, and Fission products
gaseous-waste decontamination, 2(4): 39–41
I^{132} adsorption, 2(3): 37–8
Sediments, radiation monitoring, 3(1): 73
Seismology, engineering methods, 1(2): 32
relation to reactor hazards and siting, 1(4): 64–8; 3(4): 58–63
Shoes, radiation monitoring, 3(1): 67–8
Silica-gel adsorbers (refrigerated), Kr removal from He, 1(4): 49–50
Silver nitrate reductor, explosion, 1(3): 42
Society of Naval Architects and Marine Engineers, 1(3): 18; 3(4): 6, 11
Sodium, absorption by graphite, 2(2): 15
contamination in SRE, 1(4): 19–20; 2(3): 59–60
oxidation, 1(4): 21
Sodium-24, determination in blood, 2(3): 49
production in underground nuclear explosions, 1(2): 50
in vivo radioactivity measurement, 3(4): 85

Sodium (molten), reactions, 1(2): 18
Sodium fluoride–uranium tetrafluoride–zirconium tetrafluoride system, phase studies, 2(2): 13
Sodium thiosulfate, iodine sorption in steam-air mixtures, 2(3): 36–7
Soil, cation-exchange, 2(2): 63–4
  plant uptake of radionuclides from, 1(3): 63–4; 2(2): 66
  radiation monitoring, 3(1): 73
  radioisotope sorption and retention, 1(3): 65–8
  Sr^{90} movement, 2(2): 63–5
Solvent absorption of noble gases, 1(4): 50–1
Somatic radiation effects, 2(3): 2–4
Sources (radiation)
  See Radiation
Space systems, fission-product release from nuclear energy sources, 3(2): 4–6
Space vehicles, hazards, 1(4): 1–3
Spain, reactor site selection, 2(2): 3
Spectrometry, gamma-ray, 2(4): 43
Spermatogonia, radiation effects, 3(2): 58–60
Stack gases, radiation monitoring, 2(2): 26–7
Stainless steel, decontamination, in steam generator, 1(2): 40
  reaction, with graphite, 2(2): 16
  with water, 3(4): 37
  solid-phase reactions with U and U alloys, 2(2): 11
  stress corrosion, 3(1): 88–90
Stainless steel (17-4-PH), failure in reactors, 3(1): 39–41
Stainless steel (type 304), strain-energy absorption, 1(1): 27–8
Steam generator, decontamination, 1(2): 40
Steel (MT-1015-20), strain-energy absorption, 1(1): 27–8
Steel plate, penetration, 1(1): 28–9; 2(2): 32–3
Storage of nuclear materials, 2(2): 8–9, 45–6, 48; 3(2): 28
Stratosphere
  See also Air and Atmosphere
  Sr^{90} content, 2(3): 46–7
Strontium, behavior in soil, 1(2): 50–1; 1(3): 66–7; 2(2): 63–4
  release at NRTS, 1(4): 79
  removal from gas-cooled-reactor coolants, 2(2): 42
Strontium-85, Ca effects on plant uptake from soil, 1(3): 64
  in vivo radioactivity measurement, 3(4): 85
Strontium-89, biological uptake, 2(2): 66
  human uptake, 2(3): 45; 3(3): 1–4
  release, 1(4): 54; 2(2): 22; 3(4): 15
Strontium-90, absorption in clays and rocks, 2(3): 33–4
  biological uptake, 1(3): 63–4; 2(2): 66–7
  body burden, 2(3): 45–6; 3(2): 65–6
  cancer induction, 2(3): 2–3, 46–8
  content in biosphere, 3(3): 52–3
  content in fallout, 2(3): 46–7
  content in stratosphere, 2(3): 46–7
  human uptake, 2(3): 45–7
  leukemia induction, 2(3): 47–8
  movement in soil, 2(2): 63–5
  pathological effects, 2(3): 47–8
  production in underground nuclear explosions, 1(2): 49
  radiation-source properties, 2(3): 39
  release, 3(4): 15
  surface deposition of airborne, 3(4): 80
  toxicity, 2(3): 45–8
  tumor induction, 2(3): 47–8
  in vivo radioactivity measurement, 3(4): 85
Strontium-90 titanate radiation sources, fabrication, 2(3): 39
Strontium-90–yttrium-90 radiation sources, heating, 2(3): 39
Sulfur dioxide, surface deposition of airborne, 3(4): 80
Surveys
  See Radiation
Switzerland, reactor site selection, 2(2): 5
Sylvania Electric Products, Inc., Bayside, N. Y., Th explosion, 3(1): 73–4
Systems for Nuclear Auxiliary Power (SNAP)
  See also Reactors
  fission-product release, 3(2): 4–6

T

Television, decontamination uses, 2(2): 49
Tellurium radioisotopes, release, 2(2): 21–2; 3(4): 15
  surface deposition of airborne, 3(4): 79
  in vivo radioactivity measurement, 3(4): 85
Temperature probes, in gas-cooled reactors, 2(1): 30–2
Terphenyl mixtures, melting points and vapor composition, 2(2): 12
Texas Engineering Experiment Station, research and training reactor licensing, 1(3): 85
Thermal diffusion, Xe separation from deuterium, 1(4): 51–2
Thermal testing of reactor fuel elements, 1(4): 42
Thermocouples, use in reactor in-core temperature measurement, 3(2): 43–4
Thorium, internal dosimetry, 3(1): 65; 3(4): 85
  oxidation, 2(2): 18
Thorium binary alloys, oxidation, 2(2): 18
Thorium-uranium alloys, solid-phase reaction with stainless steel, 2(2): 11
Thulium-170, in vivo radioactivity measurement, 3(4): 85
Thyroid, radiation protection guides, 3(3): 1–2
Tissues, neutron activation, 2(3): 49
Titanium-zirconium alloys, oxidation, 1(4): 22
Tort liability from nuclear reactors, 1(2): 9
Toxicity, Be compounds, 1(4): 57–8
  Sr^{90}, 2(3): 45–8
Trace-element analysis, marine organisms, 1(3): 63–4
Transportation of nuclear materials, 1(2): 5–6; 2(2): 5; 3(2): 38; 3(3): 8–9
Tritium, decontamination, 1(2): 40–1
  licensing, 3(2): 76
  radiation-source properties, 2(3): 3.
Tritium-zirconium targets, fabrication, 2(3): 40
Tubing, ultrasonic testing, 1(4): 42
Tumors, Sr^{90}-induced, 2(3): 47–8

U

Ultrasene, use in Kr and Xe recovery, 1(4): 50
Ultrasonic testing, reactor fuel elements, 1(4): 42
Union Carbide Nuclear Company, Y-12 Plant, Oak Ridge, incidents, 1(2): 59–63; 2(1): 74; 2(4): 42; 3(1): 73–4; 3(2): 34; 3(3): 26
Union of Soviet Socialist Republics, incidents, 2(1): 73–4; 3(2): 35
  reactor siting, 3(4): 14–15
United Kingdom, reactor siting, 3(4): 12–13
United States, nuclear activities of states, 1(2): 10–11, 13; 1(4): 6–8
  nuclear activity bibliography, 1(2): 13
  nuclear liability, 1(2): 8–12; 1(4): 5–6
  reactor siting, 3(4): 15
United States Committee for the Revision of the International Convention for the Safety of Life at Sea, 1948, Nuclear Power Committee, 1(3): 18; 3(4): 6, 11
Uranium, body burdens, 1(3): 38
  critical mass studies, 1(3): 39
  decontamination, 2(2): 48–9
  fabrication, 1(3): 37–9
  fission-product release, 2(2): 21–2
  fluorination with BrF_3, 2(2): 14–15
  heating effects on irradiated, 1(1): 33
  ignition, 1(2): 16
  inhalation hazards, 1(3): 37
  internal dosimetry, 3(1): 65; 3(4): 83–5
  oxidation, 1(2): 17; 1(4): 21–2
  pyrophoricity, 2(2): 17–19
  reaction, with graphite, 2(2): 17
    with stainless steel, 2(2): 11
    with steam, 1(2): 17–18
  recovery from spent fuel, 2(2): 14–15
  Redox dissolver incident, 2(4): 52–5
  scrap handling and shipping, 1(3): 40
  thermal cycling, 1(2): 16
Uranium (Al-clad), failure, 1(4): 18
Uranium (enriched), criticality data, 1(2): 6–7
  fuel-reprocessing criticality problems, 1(2): 44–5
  incidents, 1(2): 59–63; 1(3): 75–7
  shipping regulations, 1(2): 5–6
Uranium (molten), reaction with water, 1(4): 22; 3(4): 37–8
Uranium-235, critical mass, 1(1): 6
  criticality control, 1(3): 38–9
  fission-product activity, 1(3): 34
  shipping regulations, 1(2): 5–6
Uranium alloys, ignition, 1(2): 16
  oxidation, 2(2): 18
  reactions with water, 3(4): 37
  solid-phase reactions with stainless steel, 2(2): 11
Uranium compounds, handling at ORGDP, 1(2): 6–7
Uranium dioxide, decontamination, 2(2): 52
  fission-product diffusion, 1(2): 15; 1(3): 29–30
  fission-product release, 1(2): 14–15; 2(2): 20–1; 3(2): 15–20; 3(4): 16, 109
  temperature distribution, 1(2): 14–15; 3(2): 15–16
Uranium dioxide (metal-clad), pressure buildup, 1(2): 15
Uranium dioxide (Zircaloy-2-clad), fission-product escape-rate coefficients, 1(4): 18–19
Uranium hexafluoride, handling at ORGDP, 1(2): 6–7
Uranium oxides, iodine sorption, 2(3): 35
  reaction with graphite, 2(2): 17
Uranium-zirconium alloys, reprocessing hazards, 1(2): 45
Uranium-zirconium alloys (Zircaloy-clad), fission-product release, 1(4): 23

V

Vegetation, radioisotope uptake, 1(3): 62–4; 2(2): 66–7
Ventilation, aerosol properties, 3(1): 60
Vinca, Yugoslavia, criticality incident, 3(2): 35

W

Waste disposal
  See also Contamination, Fission products, and Radioisotopes
  Aldermaston, 1(4): 73
  Amersham, 1(4): 73
  Belgium, 2(2): 60, 62
  book review, 3(4): 105–6
  Chalk River, 1(4): 73; 2(3): 51
  control, 3(3): 56–9
  costs, 2(3): 50
  developments, 2(3): 50–2

Waste disposal (Continued)
Fontenay-aux-Roses, 1(4): 73
fresh water, 1(4): 73–5; 2(1): 81–3
gaseous, 2(2): 25–7, 37–8, 47–8; 2(3): 42; 2(4): 39–41
ground, 1(2): 47–9; 1(4): 66
HAPO, 1(4): 70, 73
Harwell, 1(4): 73; 2(2): 59–60, 62
hazards, 2(4): 45–7
high-level, 1(4): 58–70
hot cells, 3(3): 47–8
HRT, 1(4): 76
ICPP, 1(4): 70; 2(2): 61–3
incineration, 3(3): 54–5
intermediate-level, 1(4): 70–1
Irish Sea, 2(3): 52
licensing and regulation, 2(4): 63
liquid, 1(2): 47–9; 1(4): 58–61; 2(3): 42–3
LASL, 1(4): 70; 2(2): 61–2
low-level, 1(4): 70–1; 2(1): 81–3; 2(2): 59–63; 2(3): 50–2
Marcoule, 1(4): 73; 2(2): 60, 62; 2(3): 50–1
monitoring, 1(4): 58–61, 71, 75
N.S. *Savannah*, 1(2): 19; 1(4): 9, 76–7
ORNL, 1(4): 70, 73, 77, 83–8; 2(2): 61, 63; 2(3): 42–3, 51–2; 2(4): 41
ocean, 1(4): 69–70; 2(1): 78–81
power reactors, 1(4): 75–7
Pu, 2(2): 61–2
radioisotope salvage, 1(4): 69–70
rivers, 3(2): 60–5
Savannah River Plant, 1(2): 47–8; 1(4): 60, 70
techniques, 1(3): 62
treatment, 2(4): 39–41, 45–7
Water
See also Hydrology and Reactors
absorption by graphite, 2(2): 15
biological deactivation, 1(4): 73
contamination in spent-fuel shield, 1(2): 40
fire fighting in nuclear incidents, 3(1): 2–3
fission-product scavenging, 1(4): 11–13
radiation monitoring, 1(4): 59; 3(2): 66
reactions, with graphite, 2(2): 15
with molten metals, 1(2): 1, 17; 1(4): 22–3; 3(4): 36–41
with NaK, 2(2): 12
with Nb-U alloys, 1(2): 18
retention from underground nuclear explosions, 1(2): 52
subsurface movement in ground, 1(2): 47–9
Water (fresh), stream radioisotopes survey, 1(4): 74
waste disposal, 1(4): 73–5; 2(1): 81–3
Water (ground), radiation monitoring, 3(1): 72
radioisotope movement, 1(4): 67
Water (heavy), contamination, 1(4): 75, 77
leak detection, 3(3): 37–8
Water (ocean), waste disposal, 2(1): 78–81
Water (river), contamination by power reactors, 3(2): 60–5
Water (surface), radiation monitoring, 3(1): 72
radioisotope movement, 1(4): 67
Water fowl, radioisotope uptake, 2(2): 67
WCAP-4
See Reactors (Materials Testing)
Weathering
See Erosion
Wigner energy, 1(2): 20–4; 1(4): 90; 2(3): 13–15

X

Xenon radioisotopes, containment, processing, and recovery, 1(4): 47–56; 2(2): 39–42
diffusion rate from UO_2, 1(2): 15
release, 1(4): 52; 2(2): 21; 3(2): 17–18

Y

Yttrium hydride, compatibility with graphite, 2(2): 17
Yttrium radioisotopes, plant uptake from soil, 1(3): 63
removal from gas-cooled-reactor coolants, 2(2): 42
sorption by soil, 1(3): 67
in vivo radioactivity measurement, 3(4): 85
Yugoslavia, radiation incident, 2(1): 74–5

Z

Zinc-65, biological uptake from reactor effluents, 2(2): 66
in vivo radioactivity measurement, 3(4): 85
Zircaloy, reaction, with graphite, 2(2): 16
with water, 3(4): 40–1
Zircaloy-2, reactions with steam and water, 3(4): 38–9
Zirconium, oxidation, 1(2): 16–17; 1(4): 22
pyrophoricity, 2(2): 17–19
reaction, with graphite, 2(2): 16
with H_2, 2(2): 16
removal from gas-cooled-reactor coolants, 2(2): 42
sorption by soil, 1(3): 67
Zirconium (molten), reaction with water, 1(2): 18; 1(4): 22; 3(4): 37–40
Zirconium alloys, oxidation, 1(2): 17; 1(4): 22; 2(2): 18
reactions with water, 3(4): 37
Zirconium hydride, compatibility with graphite, 2(2): 17
Zirconium isotopes, biological uptake, 2(2): 66
release, 1(4): 79; 2(2): 22
surface deposition of airborne, 3(4): 79
in vivo radioactivity measurement, 3(4): 85
Zirconium tetrafluoride-bearing reactor fuels, freezing, 2(2): 13

LEGAL NOTICE

This document was prepared under the sponsorship of the U. S. Atomic Energy Commission. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this report, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights; or

B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this report.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor, to the extent that such employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.

☆U.S. GOVERNMENT PRINTING OFFICE, 1962—652439/1